TANDY LAPTOP COMPUTING

AUGUST 1992 - VOL. 9. NO. 7

TERRY KEPNER'S

Splash into Summer

Diver Scoring:

Perfect for swimming meets


Balancing Your CheckBook

FileRunner:

Keeping your files up-to-date

Cartoon-a-day: Start your day with a smile

MS-DOS 5 — Two beginner's guides Wanted now for extraordinary versatility... XR4... aliases "super-extRAM", "RAMBO IV" the 128 k-byte internal option RAM/ROM for the model T—100/102/200



Before XR4, you had 32k of RAM, 32K of standard ROM and one 32K option ROM socket, to do with as you pleased. In that option ROM you could plug in ROMs like UR2, SuperROM, CRDFIL, Cleuseau or one of many others. But it was one at a time. It was painstaking to switch from one to another. With the advent of the 32k extRAM, that changed. You could make *images* of several ROMs on disk or on another computer or on your rampac and swap them rapidly into the extRAM for execution, as a ROM-emulator. Or you could use that optional 32k extRAM memory to store more of your .DO, .BA and .CO files, as a RAM-file-bank.

Now with XR4 you can have your cake and eat it too. With XR4 installed in the option ROM socket, you quadruple the power and versatility. You can load up to four ROM images into the four independent banks and swap between them instantaneously. You can have your UR2 and your SuperROM, and your CRDFIL and your Cleuseau, or the 4 ROMs of your choice, just a few keystrokes away. You say you don't use so many ROMs, or none at all? However many banks you aren't using as ROM are available to store your normal .DO, .BA and .CO files. That's up to 4 extra 32k banks of internal RAM (24k banks on the T200). The XR4 works fine in conjunction with the rampac external ramdisk, too. XR4 is software switched, and it can write-protect itself for added security or so that naughty ROMs like Multiplan will run. It's all crammed into the internal option ROM socket, in a package of less than 1/4 cubic The XR4 is priced at \$169ea, plus \$5 shipping and

applicable tax. It comes with a thorough manual, and a copy of the software on disk is available for an additional \$15. XR4 is available now.

eme systems

voice: (510) 848-5725 fax: (510) 848-5748 2229 5th St., Berkeley, CA 94710

Circle 88 on reader service card.

APTOP USER GROUP

More Than Just a Laptop User Group

Supporting Tandy/Radio Shack Model 100, 102, 200 and WP-2 Computer Owners Since 1983

Lapdos II

Turn your Model 100/102/200/NEC8201 into a PC-partner. Connect your laptop computer or Tandy Portable Disk Drive directly to MS-DOS computers for file transfers at 19200 baud. Fast! Easy to use. Single or batch file transfers at the press of a button. Feature rich!

WP2DOS Plus

Turn your WP2 into a PC-partner. The only "file transfer" and "file conversion" software available or WP2 to DOS computer owners. Online utilities convert WP2 .DO files to popular DOS word processing file formats ... maintains file formating codes. Super easy and fast.

WPduet

Turn your WP2 into a Mac-partner. Connect your laptop computer or Tandy Portable Disk Drive directly to Macintosh computers for file transfers at 19200 baud. Fast! Easy to use. Single or batch file transfers at the press of a button. Automatic file translations allow your Mac programs to use your laptop files, directly! Maintains file formatting codes.

100duet

Turn your Model 100/102 into a Macpartner. Connect your laptop computer or Tandy Portable Disk Drive directly to Macintosh computer for file transfers at 19200 baud. Fast! Easy to use. Single or batch file transfers at the press of a button. Automatic file translations allow your Mac programs to use your laptop files, directly!

Power Pillow

Good-looking, powerful, long-lasting battery pack encased within an attractive black-vinyl holder provides hundreds of hours of battery life. Attaches to the back/bottom of your laptop with velcro (included). Hand crafted and tested. (Requires 4, "D" cell batteries, not included).

The Ultimate ROM II

this more than just a "super" ROM.

T-WORD: overwrite/insert mode while

editing, imbed print controls, control print output (margins, line spacing, page feeds, headers, footers, auto page numbering, bold face, underline, italics, mail merge, labels, and more), pixelplot view of document before printing. T-BASE: true relational base operations, key field sorts, math, report generation, etc. IDEA!: outliner program for concept development. VIEW 80: see up to 60 characters per line while in TEXT, TELCOM and BASIC, fast processing, easy to read. TS-DOS & SARDINE LINK: automatically loads and runs TS-DOS and SARDINE from disk. (TS-DOS and SARDINE sold separately).

TS-DOS (ROM or Disk)

Super fast, easy access to your TPDD or TPDD2. Available for Models 100/102/200 and NEC8201. Features: file tagging, file printing direct from disk or RAM, direct access to disk drive from within BASIC or TEXT. Disk version works with the Ultimate ROM II or independently.

SARDINE (ROM or Disk)

Spell check your words. Fast, 33,000 word electronic spell check and dictionary. Corrections automatically inserted into text. ROM version includes T-word. Disk version works with the Ultimate ROM II or independently.

ROM2/Cleuseau

The very best programming tools available for Model 100/102/200 and NEC8201 laptop programmers. Two ROMs in one, and more. ROM2 is a full functioned 8085 macro assembler. Cleuseau adds much needed features to BASIC and TEXT. Call for full details.



Rick Hanson, Club 100

Hard Cover

Protect the top of your 100/102/NEC8201 with a made-to-fit

// hard, black plastic cover. Looks good. Works great. WP2
protection cover available, too.

Keyboard Bands

Just the right size dental rubber bands necessary to almost eliminate Model 100/102/200 keyboard noise. Great for library and meeting use. Easy to install. Instructions included.

RAM, RAMPAC Storage, Multi-RAM/ROM

We have the widest selection of expansion RAM's, RAMPAC storage, and a device that can be used as extra RAM or as a multi-ROM bank. Exciting solutions!

Free BBS

Our free-2-use bulletin board computer is available 24 hours a day. Features: free public conference, free classified advertising, free laptop reference material, free newsletter, free downloads, product ordering, assistance, and more. Log on with any computer. Simple menus fit all 40 character, 8 line displays. Fast, interrupt drive, easy to use for beginners. Friendly. No online cost. Unlimited online time. PC Pursuitable! Optional online library access \$1 a month.

Program Collections

We have the largest "quality" collection of public domain, shareware and author-specific programs available for Model 100/102/200 users, i.e., text, print, telcom, business, graphics, drives, utilities, games, music, programming, education. Available online or mail order on disk. Listings available.

"Look to Club 100 for the largest selection of performance products to make you a laptop power user. Call today!"

We're Always Adding Nifty New Stuff! Call Today For Our FREE 1992 Catalog

(510)932-8856 voice • 937-5039 fax • 939-1246 bbs

CLUB 100 PO Box 23438. Pleasant Hill, CA 94523 -0438



ON THE COVER:

This magnificent swimming pool is part of the LeBlonde Boys' & Girls' Club, Cincinnati, Ohio, a United Way agency. An extensive aquatics program is only a small part of the overall activities and services offered by Boys' and Girls' Clubs of Greater Cincinnati Inc., which serves more than 7600 individual kids at risk in such diverse areas as drug abuse prevention, physical and mental fitness and socialization skills. Photo by Bob Liddil



THE PORTABLE COMPUTER IN SPORTS MS-DOS

M-102 WP-2

by Peter L. Terry Take your Model 100 to sporting events!

CARTOON-A-DAY PLUS:

MS-DOS M-102 WP-2

by Terry Kepner Schedule your appointments, track the things you need to do, and decorate your memos.

HELP! HOW DO I ...

MS-DOS M-102 WP-2

by Terry Kepner Two books for people who are new to the MS-DOS C:> prompt.

CKREG.CA

MS-DOS M-102 WP-2

by Algis Kaupas Use Lucid, the spreadsheet program, to balance your checkbook quickly and efficiently.

CONTAB.BA, PART ONE

MS-DOS M-102

WP-2

by R. Jim Siebert Temperature conversions for those who must track both Celsius and Fahrenheit.

NOW IS THE TIME. AND NOW. AND NOW. AND ... MS-DOS

M-102 WP-2

by Adrian Ryan Tips on using the On TIME\$ interrupt.

FILERUNNER: TRACKING THE ELUSIVE FILES

MS-DOS M-102 WP-2

by Terry Kepner Keep only the latest version of your files on all your computers, without headaches.

TALKING TO YOUR COMPUTER

MS-DOS M-102 WP-2

by James Toth A comparison of popular computer languagers, and what their differences are, in simple terms.

BETTER LETTERHEADS, PART III MS-DOS

M-102 WP-2

by Mike Nugent Adding graphics to your letterhead!

DEPARTMENTS

ROM WITH A VIEW I/O **NEW PRODUCTS PORTABLE 100 CLASSIFIEDS ADVERTISERS' INDEX**

Words to make you think. Interesting stuff. More neat stuff. Software, hardware, wanted.

4 6 38

43

BACKUP ALL OF YOUR PC COMPATIBLES WITH ONE PORTABLE TAPE SYSTEM



- 160 Megabyte Capacity
- Save Backup Time Management Time and Drastically Decrease Media Costs
- Easy to Use "Windows-Based" Menu-Driven
 Interface Software
- Small, Portable and Lightweight
- No More Lost Data or Floppy Disks to Manage
- No Add-In Cards Needed
 "Plug and Go" over the
 Parallel Printer Port
- 30 Day Money Back Guarantee

- Backup At Over 6
 Megabytes A Minute
- Reseller Inquiries
 Welcome



ONE FOR ALLTM MODEL #PT1

Contact ADPI For More Information Analog & Digital Peripherals Inc. PO Box 499 Troy, Ohio, 45373 513/339-2241 Fax: 513/339-0070

ROM WITH A VIEW

he scene on this month's front cover takes me back to a much simpler time in my life, to the summer of 1974, when I was Aquatics Director for the LeBlonde Boys' Club in Cincinnati, Ohio. I taught swimming to inner city kids, hosted swim meets, and supervised water-safety related activities in what then was a brand new state-of-the-art Boys' Club. My life literally revolved around that swimming pool, its maintenance, and the hundreds of kids who passed through that program on a weekly basis.

Computers were something foreign. They were as big as a station wagon, and as remote from my life as anything could be. Computers guided Apollo to the moon, but it took a room full of them to get the job done. Computers protected us from the scourge of atomic warfare, but they had to dig out a whole mountain in Colorado to accommodate them and the personnel that kept them running.

CB radio was the latest fad. Soon, the sounds of "Pigpen" and "Rubber Duck" would fill the air from coast to coast as an entire nation, including a very young me, rebelled against the hated 55 MPH speed limit. Even now, I chafe in places like Pennsylvania and New York and New Jersey, where stupid, out of touch politicos force me to crawl along on a modern expressway at arcane speeds, while their cops stand gleefully holding computer-operated laser speed meters that take your picture and mail a traffic ticket to your house.

Although the TRS-80 Model I was the first truly mass-marketed, ready to run computer (I bought one immediately and fell in love with it), the Model 100 was the first practical computer in my life. The old gray TRS-box sputtered and locked and quit in the middle of things, but the trusty Model T just kept on chugging (and still does), no matter where I am.

Seeing that swimming pool again after all these years puts the chronology of my life in perspective. There were so many things I could have used computers for in my Boys' Club days. There are so many times since I left LeBlonde that I would love to lose myself again in teaching kids to swim.

Now Boys' and Girls' Clubs of Greater Cincinnati Inc, deals with serious issues of life and death, drugs and homelessness and a hundred other cutting edge problems of the modern inner city. But they still find time to give swimming lessons.

And me? I use a dozen different kinds of computers in the course of a week, some with enough power to typeset a whole newspaper or calculate the dimensions of a Black Hole. But I still use my Model T for writing in the quiet times. Things change... and stay the same.

Bob Liddilas

Toolbox

Manuscripts were typed into Microsoft Word 4.0 on a Tandy 1400 HD, where they were edited, spell-checked, and had basic format instructions inserted. From there they were loaded into a Tandy 4000 (80386 CPU, Tandy EGA Monitor, Tandy LP-1000 LaserPrinter) desktop computer and placed into Aldus' IBM PageMaker 3.01 Once there, design decisions on photo, figure, and listing sizes and placements were made. Here, pull quotes are placed, headlines, intros, and bylines are sized and positioned, and advertisements positioned.

Normally, the Tandy LP-1000 is capable of emulating only a Hewlett Packard Laser Printer Plus, but with the

addition of the Destiny Technology Corporation (300 Montague Expressway, Suite 150, Milpitas, CA 95035. (408) 262-9400) PageStyler 4.5MB kit, the LP-1000 is turned into a fully-compatible PostScript printer, with all 35 native fonts that are found in the Apple LaserWriter Plus printer. The Destiny PageStyler is available through the Tandy Express Order Hardware system.

Page previews were output from the Laserprinter. When everyone was satisfied with the appearance, final pages were output and artwork and line art ads were positioned. The finished magazine was then delivered to the printer, who printed it, labeled it, and mailed it to you.

portable 100

PRESIDENT/PUBLISHER
Terry Kepner

EDITORS

Terry Kepner, Mary Fraser David Klein, David Sprague

NEW PRODUCTS EDITOR
Linda Tiernan

CONTRIBUTING EDITORS
Barbara Schwartz, Paul Globman
Mike Nugent, Stan Wong,
Tony Anderson
Gene Wilburn

CIRCULATION Bob Liddil

ADVERTISING DIRECTOR
Bob Liddil

ADVERTISING ASSISTANT Pauline Halvonik

BULLETIN BOARD SYSOP Chris Courson

Portable Computing International Corporation 145 Grove St. Ext., #21, PO Box 428 Peterborough, NH 03458-0428 Tel: 603-924-9455 Fax: 603-924-9441



The Portable 100 Bulletin Board 603-924-9770

(300/1200/2400-8, None, 1)

Portable 100 (ISSN 0888-0131) is published by Portable Computing International Corporation, 145 Grove Street Ext., P.O. Box 428, Peterborough, NH 03458-0428, Portable 100 Is an independent journal not connected with any hardware, software, or peripheral equipment manufacturer. Portable 100 is published monthly, except for a combined July/August issue in the summer. Entire contents Copyright © 1992 by Portable Computing International Corporation, All Rights Reserved. No part of this publication may be reproduced without written permission from the publisher. Portable Computing International Corporation makes every effort to assure the accuracy of articles published in Portable 100, but assumes no responsibility for damages due to errors or omissions. Subscription Service: All subscription correspondence should be addressed to Portable 100, Portable Computing International Corporation, 145 Grove Street Ext. P.O. Box 428, Peterborough, NH 03458-0428. U.S. subscription rates: \$19.95, one year; US\$44.95 two years. Canada and Mexico: US\$2.45, one year; US\$4.95 two years. Canada and Mexico: US\$2.45, one year; US\$4.95 two years. Street Ext. P.O. Box 428, Peterborough, NH 03458-0428. U.S. street Ext. P.O. Box 428, Peterborough, NH 03458-0428. U.S. street Ext. P.O. Box 428, Peterborough, VH 03458-0428. U.S. subscription rates: \$19.95, one year; US\$4.95 two years. Canada and Mexico: US\$2.45, one year; US\$4.95 two years. Canada and Second-class postage paid at Peterborough, NH 03458, and at additional mailing offices.

POSTMASTER: Send address changes to: Portable 100, Portable Computing International Corporation, 145 Grove Street Ext., PO Box 428, Peterborough, NH 03458-0428.

SUPER ROM Lucid Spreadsheet Write ROM Database

Outliner

Boots the Tandy Portable Drive with one button!

THE STREET

Now Available for the Model

NOW YOU CAN REALLY HAVE IT AL

All on one ROM. Truly the finest four programs available for the Model 100 - guaranteed. Try it for 30 days. If you aren't blown away by the excellence return it for a full refund.

(Please add \$5.00 shipping & handling)

The four best programs for the Model 100 all on one ROM. 32K of power without using any RAM for program storage. This is the PCSG Snap-In ROM that just presses easily into the little ROM socket in the compartment on the back. You access the four right from the main menu like built-ins.

Write ROM — the definitive word processor for the Model 100. Function key formatting or dot commands. Search and replace. Library feature inserts words, phrases or whole documents into text from just a code. MAP lets you see a picture of your document. In all there are 60 features and functions. No one can claim faster operation. FORM lets you create interactive forms with on-screen prompts that you can answer from the keyboard. Nothing else for the Model 100 compares with the features of Write ROM. Exactly the same as the Write ROM sold as a single program. Infoworld says it "makes the Model 100 a viable writing unit ... surpassed our highest expectations for quality and clarity."

Lucid Spreadsheet: This is the one PICO magazine says "blows Multiplan right out of the socket" and Infoworld performance rated as "excellent" and said "makes the Model 100 compute." Gives you features you cannot get with Lotus 123. Lets you build spreadsheets in your Model 100 that would consume 140-150K on a desktop. Program generating capability with no programming knowledge required. Variable column widths. Includes find and sort with function key control. It's fast, recalculates like lightning. No feature has been taken from the original, only new ones added.

Database: This is a relational data base like no other. You can do everything from mailing lists to invoices. No complicated pseudo-coding, you create input screens as simply as typing into TEXT. You are not limited by size; you can have as large an input screen as you wish. Prints out reports or forms, getting information from as many files as

you like. Complete math between fields. Total interface with Lucid worksheets.

Outliner: Does everything that Thinktank does on a PC but a whole lot better. Includes a Sort for your headlines. Lets you have headlines of up to 240 characters. Has cloning, hoisting and sideways scroll up to 250 characters. Like Lucid, this one sets a new standard for outliners. This is the way to plan and organize your projects.

Present Lucid and Write ROM owners can upgrade for \$150. If you have both it's \$125.

As usual PCSG sells the Super ROM on a thirty day guarantee. If for any reason you are not satisfied, simply return it for a full refund.

We are excited about this product. Super ROM gives the Model 100 the true power of a desktop. No other multiprogram ROM has software that compares. But don't take our word for it. We invite you to make that comparison vourself. Priced at \$199.95 on Snap-In ROM.

Got stuck with somebody else's multi-ROM? We'll upgrade it for \$150.

Another fine product from the innovative people at PCSG!

Distributed by:

Tri-Mike Network East

P.O. Box 372, Peterborough, NH 03458 · 1 (603) 588-2010

© PCSG

MC, Visa, American Express, Check, or C.O.D.

Circle 72 on reader service card.

Oops, We Goofed!

ou probably noticed that we had the wrong subhead on last month's review of Orbits. We accidentally overwrote the subhead for the FCC article in its place.

The Orbits review also stated that we could not get the program to run on the portable. Well, the solution to that one is very simple. All you need to do when you boot up

the disk to type Orbits /e.

If you are interested in purchasing a copy of Fastlock Plus (reviewed in our May 1992 issue), you may reach the Rupp Corporation at 3228 E. Indian School Road, Phoenix, AZ 85018. (602)224-9922, fax (602)224-0898. The New York number listed in our review will refer you to this Phoenix number. Our apologies to our readers and to the Rupp Corporation for any inconveniences which this may have caused.

SATISFIED WP-2 USER

I have been happy to read the letters from other WP-2 addicts, as well as your articles about its design and what one can do with it. For anyone who needs a light word processor for travelling or library work, it is so obviously the best solution. Dave Rosenstein (April 1992) was obviously right in blaming Tandy for a lousy marketing job. That started with the manual, which must be among the worst ever. And it must be admitted that even with a better manual, it is not as user-friendly as it could have been.

As far as I am concerned, the memory could have been devoted to better uses than the speller and the thesaurus, and I would love to be able to rebuild it to my specifications. Some would like spreadsheets; I would have liked macros.

The WP-2 has an amazing capacity to produce international characters, which is of particular interest to me as I work in many languages. But it has no way of making it easy, by modifying the keyboard of producing macros. So it is very laborious to do an accented letter in French or Spanish. Perhaps somebody has come up with a smart way?

Never mind, the WP-2 is an absolute gem — feather light, with an amazingly crisp screen and a superb keyboard. The word processing is primitive but adequate, especially for notes and drafts. And it was cheap — it should have found an immense market, not least in the developing countries.

It is sad that this marketing niche has

not been filled, and that people are toting around so-called notebooks and laptops that they do not need. In the meantime, those of us who discovered the WP-2 must be grateful to Portable 100 for all the support that you are giving us.

Goran Ohlin New York, NY

M-200 FAN SPEAKS UP

I have subscribed for several years now to the only magazine that supports our two Tandy M-200s and I've contributed to the BBS. I think you're doing a great job. Your magazine is in the envi-

able position of being the ONLY source of support for the most human-compatible computer yet devised by the cunning mind of man. Please, don't cut your advertising space! I depend on it.

Thanks for the articles on Super ROM and UR-2. We have both. I prefer Super (for Lucid); my son uses UR-2 because of its unlimited word processing. Neither would be any good without the T-200.

Bernie E. Besherse Ketchikan, AK

TANDY 100 IN PUBLISHING

Without my Tandy 100, I could not



The ADFPA Newspaper

POWERLIFTING TODAY

BULK RATE PAID PAID

Message from the President



Our quality and longevity stands out as a unique item and we must continue to remain as such. It is up to you at the local level to promote our program.





Many records set in first North American Championships

The borderline between drug and supplement

INSIDE	
Doug Daniels	3
Power Tips By Bettina	4
Doug Hepburn	4
Spero Tshontikidis	
PLT Personals	6
Classified Ads	6
Rickey Crain	
Canadian Lifters	7
Editor's Notes	
Major Mover - Mike Cissel!	8
Paul Anderson	à

Powerlifter Today, not possible without a Tandy Model T portable!

New Price Reductions! TANDY

	Tandy 1500 HD 20 meg	\$ 795.00
	Tandy 1400 HD 20MEG	\$ 695.00
	Tandy 1400 LT — 2 dr.	\$ 395.00
	Tandy 1100 FD - 1DR.	\$ 395.00
	Model 100 — 24K	\$ 195.00
	MODEL 102 — 32K	\$ 255.00
	MODEL 200	\$ 325.00
	TANDY WP-2	\$ 165.00
	NEC 8201 - 16K	\$ 85.00
	NEC MULTISPEED - 2 DR	\$ 295.00
	PORTABLE DISK DRIVE I 100K	\$ 95.00
	PORTABLE DISK DRIVE II 200K	\$ 125.00
	TANDY DMP 105 OR 106	\$ 55.00
	TANDY TRP 100 THRM PORT. PTI	R. \$ 65.00
۱	DICONIX INK JET PORT, PTR.	\$ 95.00
l	BROTHER HR-5 THERMAL	\$ 45.00
l	TTX THERMAL PORTABLE	\$75.00
ı	128K & 256K MEMORY FOR 102	\$ CALL
I	MEM, SOFT, MODEMS & BOOKS	. \$ CALL
١	mem,	

We Buy & Sell MD 4's - 6000's 1000, 2000's, 3000's, & 4000's

503 236-2949 **Pacific Computer Exchange**

1031 S.E. Mill St. Suite # B, Portland, OR 97214

THE ONE SOURCE FOR USED TANDY EQUIPMENT

Circle 45 on reader service card.

USED **NEC LAPTOP SALE HUGE SAVINGS ON THIS** PACKAGE DEAL!!!

The package includes: NEC 8201 laptop personal computer, 16K Memory, A/C adapter, printer cable & Tandy DMP-105 9-pin printerwith tractor feed and ribbon.

UNBELIEVABLE SALE PRICE ON THIS COMPLETE PACKAGE.

Built-in software includes: Word processor, Microsoft TM's N82-BASIC programming language, & telecommunications

• Great fc • Writers • People • Jur

- · Great for students
- · People on to go · Just for fun, too!

Manuals not included

(503) 236-2949

Quantities limited, don't delay

Pacific Computer Exchange

1031 S.E. Mill St. Suite # B, Portland, OR 97214

We accept Visa, Mastercard, prepay, or C.O.D. for cash.

Circle 172 on reader service card.

Wanted

Tandy Model 102's



in new or near New Condition.

We need **specifically** Tandy Model 102's for scientific and engineering purposes. We are willing to meet reasonable requests for compensation. Contact us right away!

GeoKon Inc. 48 Spencer St Lebanon, NH 03766 603-448-1562 Voice 603-448-3216 Fax

Circle 35 on reader service card.

publish Powerlifting Today. Almost everything in the paper is first typed into my trusty Model 100; that includes articles, records, rankings, contest results and schedules of contests.

Those files are then sent to my art director, who typesets the files and lays out the paper for publication, which goes to 6,000 drug-free powerlifters nationwide.

I use my old TRS Model III to maintain subscriptions and advertising data bases. These machines have served me well; I've yet to tap their full potential.

Gary Morrison Powerlifting Today Wyoming, MI

TANDY:

ON THE ROAD TO WHERE?

I hate to see it, and I even hate to say it as a satisfied user in the past of Tandy notebook computers, including the Model 100, 102, 200, WP-2, 1100FD and a 1500HD, but I think Tandy notebooks are fading-and fading fast!

The older machines—anything below a 386—are pretty much history. Tandy is moving on, leaving customers with older equipment to fend for themselves, and heading for the high road, the one paved with state-of-the-art equipment, at state-of-the-art prices, not where

Tandy has been in the past. DeskMate, as good as it is, as simple and practical, appears dead. Windows, not DeskMate, is being bundled with all the new high-end Tandy machines. That tells you something about the future of Desk Mate: It has none-none whatsoever!

How come Tandy hasn't introduced a fully functional palmtop computer?

Tandy just introduced a new 386SL notebook. Suggested retail: \$2995. Great! Who's going to buy it in '92 at that price? If Compaq sells its new Contura notebooks at \$1,800 or less in discount stores, where does that leave the new Tandy notebooks? Tandy should be introducing a new SL computer for under \$1,500.

How come Tandy hasn't introduced a fully functional palmtop computer yet, one with a great screen and keyboard? Here's a niche Tandy should have covered months ago. Now it will probably end up reacting to a market it should have created. Sharp's new PC3000, Memorex's Commuter Computer, the Zeos Pocket PC and the Tidalwave Palm-Star, the first of what promises to be a long list of entries, are about to hit the scene, but where's Tandy? Notice that I didn't even mention the subnotebook category, which already has new products from Gateway and Dell, but none from Tandy-at least not yet.

As it is, few Tandy retail stores, of with the exception Computer Centers and some Computer Plus stores, even stock the full Tandy notebook product line, what's left of it. Could it be that demand for these products isn't what it should be, what it could be, because the price is too high?

Tandy Announces, a Tandy feature on CompuServe, hasn't announced anything new from Tandy in months. One of the last announcements was that Desk-Mate in Spanish was now available. That may be big news in Mexico City, Miami, Laredo, Texas or East L.A., but aside from those locations and maybe a few others, how many people really care at this point? After all, DeskMate's future appears to be a thing of the past, regard-

TANDY LIQUIDATION

TANDY MODEL 100 \$ 199

With 32K RAM & 160K BUBBLE MEMORY (Used)

160K Bubble Memory Expansion \$89

For TANDY Model 100 or 102 Computer (Used) Mgfr. Sight Sound includes Power Supply

DMP - 105 Printer (Used)

59 29

19

Blue Cloth Carrying Case (New) Multiplan ROM SpreadSheet

(Without Instruction Manual)

HUGE LIQUIDATION TRS-DOS HARDWARE & SOFTWARE

CALL - WRITE - FAX - Dial BBS FOR LIQUIDATION LIST BEFORE IT IS TOOOO LATE

COMPUTER RESET

(214) 276-8072

P.O. Box 461782 Garland, TX 75046-1782 FAX & BBS (214) 272-7920

TERMS: COD or Prepaid, No Credit Cards Shipping Not Included - LIQUIDATION ITEMS SOLD AS IS

Circle 154 on reader service card.

T-200 Enhancement

XOS (Cross bank Operating System) will enhance your Tandy 200 and allow the three banks to share programs and data. XOS will bring a new level of computer functionality at MENU, from BASIC, TEXT, TELCOM. the and

From the Tandy 200 MENU you will be able to enter memos, rename files, set alarms, display and run programs that are in other banks, and much more

Cut TEXT from one bank and PASTE it to a file in another bank. Open a "window" while editing in bank #1, and view other files from bank #2. Disable "word wrap" while editing for another perspective of your TEXT file.

While on-line with TELCOM, display FILES and Bytes Free, enter and edit TEXT files, or jump to another RAM bank without losing the host computer connection.

BASIC programs can read/write to files in other banks. Jump to programs in other banks or bring the program into the current bank and run it.

XOS provides fundamental database entry and retrieval functions with user defined fields, prompts, and display parameters. A bargain at \$24.95

Node Datapac Users Replace your ROM!!

RAMDSK.CO will replace the Node ROM and allow you to use one of those other ROMs you've always wanted. Retain all of the Node menu functions, plus the ability to move, kill, and name Datapac files under program control. A MUST for Node Datapac owners who have other option ROMs. RAMDSK.CO is available for the M100/ M102 and T200... only \$24.95

N-READ.CO will allow a BASIC program to read a TEXT file stored in the Datapac without moving the file into RAM. An absolute necessity for multi-file database projects where the datafiles are kept in the Datapac. N-READ.CO is only \$9.95 but is yours for \$5 when ordering RAMDSK.CO.

For Your Amusement...

A beguiling PUZZLE/GAME program for your Tandy 200. A logical challenge that will keep you busy for many hours. Only \$10.00 for PUZZLE #3. Order with XOS or RAMDSK.CO and I'll send three additional puzzle/game/maze programs for your Tandy 200, at NO EXTRA CHARGE.

Software shipped on PDD1 (100K) diskette. All prices include shipping. Send your order with check or M.O. to:

Paul Globman 9406 NW 48th St., Sunrise, FL 33351

Circle 121 on reader service card.

less of what language it's in.

Ed Juge, Tandy's director of Market Planning, who used to write a regular monthly user column for CompuServe, hasn't written a column for this network since February.

Try sending any feedback to Tandy Support. If you're lucky, you'll hear back in a week. If you're not, you won't hear back at all.

I used to be sold on Tandy and Tandy products, but right now I see Tandy desperately scrambling for position, seemingly abandoning its once glorious past and heading for a very uncertain future. To me, it's all bad news, real bad. What do you think?

> Pat McClurg CompuServe [73240,2533]

Yes, Tandy has been selling off its inventory of older computers. But that's to make room for its new 486 models. Look for them in your local store shortly, if they're not already there. At that same time, expect to see sale prices on the 386's in stock.

As far as Tandy versus the "big boys", don't forget that Tandy does not consider itself as a direct competitor with IBM, Apple, etc. They view themselves as a "consumer electronics store" where their primary competitors are such places as Sears, Montgomery Ward, and so on. Based on that viewpoint, look for Tandy to produce a palnitop

when you see them on the shelf at Sears. Additionally, this gives Tandy more viability than IBM, et. al. What would happen to IBM if the bottom fell out of the computer market tomorrow? Hmmm? Major repercussions, right? Tandy would be affected. too, but not to as large a degree, since their business is not totally dependent upon the computer industry.

I would like to network with other Tandy 600 owners.

A 600 USER WANTS TO KNOW...

I have a Tandy 600 laptop. All of my questions refer to this model.

I would like to network with other 600 owners. Can you refer me to a club or to individual 600 owners?

Were software games ever developed for the 600? If so, where might they be purchased?

Are there any articles written specifically about the 600 in previous issues of Portable 100? If so. please identify these issues.

I would like to know if any 600 owners have developed their own programs in BASIC?

Thanks for publishing the WP-2 architecture article (May 1992). I would like to see more articles on specific laptop specifications, since I am a new laptop owner. Thanks for providing a written portable network. Your authors write in a format and with the assumption that the readers of the articles have some

degree of portable-user intelligence. Indeed, we do. I think my portable-user intelligence is limited, but it is improv-

> Janet Hamill Browning, MT

A listing of previous 600 articles is on its way to you.

Plus, you should contact Club 100, Rick Hanson's operation. While it focuses on the Tandy 100 and 102, there is also some support for the Tandy 600 people.



Model 100, 102, 200 (untested).

The Portable Computer In Sports

Take your model 100 to sporting events!

by Peter L. Terry

he field of sports offers many ideal applications for portable computers. Scoring, record keeping, analysis and general event management can be made easier with the flexibility of the portable computer. This program, DIVSCR.BA performs the calculations and can provide a printed record for scoring diving events. The techniques used here should be easily adaptable to other judged sports such as figure skating and gymnastics.

FUNDAMENTALS OF DIVING SCORING

The diving rule book assigns each dive a Degree of Difficulty factor (referred to as a DD). DDs range from 1.0 for a Forward Jump (1 Meter Springboard) to 3.5 for an Inward 3 1/2 Somersault, Pike Position (10 Meter Platform). After a dive is per-

This program is very easy to use even with no familiarity with computers.

formed, a panel of judges (usually five) individually award points to the performance of the dive on a scale of zero to ten zero being a totally failed dive, with ten being a perfect dive. Points are given in increments of one-half point (5.5 is a valid score while 5.3 is not).

Scoring, for a five-judge panel, is calculated as follows:

The highest and lowest scores are eliminated,

2. The remaining three scores are added together,

3. Then multiplied by the DD.

The result is the overall score for the dive.

NOTE: This is the scoring system used for a five judge panel under FINA, NCAA, National Federation and U.S. Diving rules. Should you modify the program for a different panel size, check the rule book in effect for the appropriate calculations.

```
10 CLS:PRINT:PRINT:PRINT:INPUT"Do You Wa
nt a Printout < Y or N>";P$
20 IFP$="Y"ORP$="y"THENGOSUB1000
30 CLS
40 PRINT: PRINT: INPUT" DEGREE OF DIFFICULT
Y";DD
50 IFP$="N"ORP$="n"THEN100
70 LPRINT
80 LPRINT" DD
                            - SCORES -
            - OUT -
90 LPRINT
100 CLS:PRINT"DEGREE OF DIFFICULTY "DD
110 INPUT"
               FIRST SCORE"; S(1)
120 INPUT"
              SECOND SCORE"; S(2)
              THIRD SCORE"; S(3)
130 INPUT"
140 INPUT"
            FOURTH SCORE";S(4)
150 INPUT"
              FIFTH SCORE";S(5)
160 FORQ=1T05:B(Q)=S(Q):NEXTQ
170 FORX=2T05:FORX1=1TOX-1:IFS(X)<S(X1)T
HEN190ELSENEXT
180 NEXTX:GOTO200
190 B=S(X):FORX2=XTOX1+1STEP-1:S(X2)=S(X
2-1):NEXT:S(X1)=B:GOTO180
200 TS=(S(2)+S(3)+S(4))*DD
210 PRINTCHR$(27)+"p";S(1);CHR$(27)+"q";
S(2);S(3);S(4);CHR$(27)+"p";S(5);CHR$(27
)+"q";"
          SCORE"TS
220 BEEP
230 IFP$="Y"ORP$="Y"THEN LPRINT USING"#.
#";DD;:LPRINT"
                        ";:LPRINT USING"#.
   ";B(1);B(2);B(3);B(4);B(5);:LPRINT"
";:LPRINT USING"#.# ";S(1);S(5);:
                            ";S(1);S(5);:LP
             "; TS: LPRINT
240 H=H+1
250 INPUT" Enter DD of next dive"; DD: IF
H=20 GOTO60
260 GOTO100
1000 IFINP(187)=194 ORINP(187)=195 THEN1
1010 PRINT"
                     Printer not detected"
1020 PRINT" Enter Q to Quit and connect
 printer"
1030 INPUT"Any other key to continue W/o
ut printer";C$
1040 IFC$="Q"ORC$="q"THENEND
                                         Continued
```

Listing 1. The Dive Scoring program uses U.S. Diving rules.

GOOD MEMORIES

We still make 'em . . . since 1983 Model 100 8K module \$29 \$29 NEC 8201 8K module Tandy 200 24K module \$59 Tandy 600 96K module \$99 NEC 8201 128K cartridge \$159 NEW SUPER SMALL DESIGN w/4 banks of 32K RAM.

WP-2 RAM expansion \$CALL **Purple Computing**

2048 Southside Rd. Murphy, OR 97533 1-800-732-5012

Visa and MasterCard accepted

Circle 55 on reader service card.

40Megs For Your Laptop NOW ONLY \$345!

THE QUICKBRICK ... connects directly to the expansion bus on your T1000SE, T1100, 1400LT, or Convertible for the best performance.



Need more than 40MB? Our portable QuarterPounder offers up to 530MB off the printer port. Low Prices! Or get a second QB40 drive for only \$225 while supplies lasts.

> **Systems Peripherals Consultants** 7950 Silverton Ave., #107 San Diego, CA 92126 619/693-8611

Circle 20 on reader service card.

TANDY WP-2 MEMORY

32K \$12

Improve your memory! Add a 32K or 128K ram disk to your WP-2. The 32K part is exactly the same as Tandy's at a significantly lower price. The 128K part has the same low-power characteristics of the 32K part. Battery life is not a problem! Prices include S&H, installation instructions, 90-day warranty. CA residents add 7.75% tax. Send check or money order to:

VISA

MicroMime P.O. Box 28181 Santa Ana, CA 92799

CIS 70346,1267 Phone/Fax (714) 545-1765

Circle 37 on reader service card.

Scores are recorded, at the scoring table, in the order given by the judges (always the same order). Eliminated scores are noted and the overall score is recorded.

USING THE PROGRAM

This program is very easy to use even with no familiarity with computers. Running on a Model 100, it has been used at numerous diving meets in the New Jersey area. Screen and printout formats are a product of actual meet experience.

When the program is started, you are asked if you want a printout. If you answer yes and a printer is not detected, you are given the choice of continuing without a printer or a dignified escape to ready the printer.

You are then asked for the DD of the first dive. Enter this in decimal format, e.g., 1.6, when the dive is announced.

The screen displays the DD on the first line then prompts for the first judge's score. Enter the scores in decimal format as requested. When the fifth judge's score is entered, the scores are sorted and the overall score calculated. Scores are displayed in sorted order and the eliminated scores are shown in reverse video. While this display is not absolutely necessary, it does, however, assure the scorer that the Model 100 is doing its job

The bottom line then prompts for the DD of the next dive. Type this number but do not press *ENTER* until you are ready to enter scores for the next dive. The reason for this procedure is that the DD of the next dive is usually announced long before scoring is complete for the current dive and it permits the full information on the current dive to remain on the screen as long as possible.

PRINTER OUTPUT

The printer output differs from the screen display in that the judges' scores are printed in the order given for recording purposes. Eliminated scores are then shown. Scoring is double spaced and a new heading is printed every twenty dives for clarity.

PROGRAM DESCRIPTION

To keep the program compact, no REM statements are included. Program flow is quite simple, however, and should be easy to follow.

Lines 10—20 provide the printer request prompt and call the printer detection subroutine if a printout is requested. If no printout is requested, line 50 skips the header printing routine.

1050 P\$="N" 1100 RETURN

End of listing.

Lines 60 — 90 contain the header printing routine. When entered the dive counter, H, is reset to zero and the header is

Judges' scores are input into the array S() by lines 110 - 150. A copy of the score array prior to sorting is made in line 160. This array, B(), is retained for printer output.

Lines 170 — 190 contain the sort. This sort is one I cobbled up years ago while fooling with executing standard sort algorithms within FOR-NEXT loops. It is quite fast for a BASIC sort. Although it is a bit of overkill for just sorting the five numbers here, I've included it as it may be useful to others as an easy sort

Overall score is calculated by line 200. Scores are output to screen in line 210 and printer in line 230. The reverse video invocation in line 210 is for the Model 100 and will probably have to be modified or eliminated for other computers.

Line 240 indexes the dive counter for the printer heading. Lines 250 prompts for the next DD and sends execution around

The subroutine starting at line 1000 checks for the presence of a printer. If no printer is detected the operator is presented with two options. Line 1000 is a printer detect routine for the Model 100. For the Model 200 I believe it should be replaced by: 1000 IF INP(187)=234 THEN1100

I hope this program and programming techniques are found useful. I would appreciate any correspondence by users.

Peter L. Terry is a mechanical engineer in Belleville, NJ and uses computers in his work primarily for control and analysis. His wife Trina is certified to judge diving competitions under NCAA, National Federation and U.S. Diving rules. She has judged diving at all competitive levels in the New Jersey area and is past secretary of U.S. Diving for New Jersey.



Tandy MS-DOS Computers (EGA or higher graphic display required).

Cartoon-A-Day Calendar Plus:

Not only can you start your day with a smile, you can schedule your appointments, maintain a to-do list, and decorate your memos with appropriate cartoons.

by Terry Kepner

fter seeing scores of dry, business-related appointment books and calendar programs for computers, it's a relief to see the release of Cartoon-A-Day Plus. This calendar system features The Kevin Pope Collection of cartoons, and his offbeat humor is amusing and somewhat strange to behold.

The program is easy to install and features two versions. The first version is a small program that simply places the current daily cartoon, the current date and time, and a calendar of the current month (see figure 1). The large version uses the small version's only screen as an opening screen which then moves to a main menu screen where you can select Day planner, To do list, Set time/date, Year planner, Print Cartoon, Cartoon options, Add cartoons, or Quick memo.

Installation is as simple as putting the disk in drive A and typing INSTALL. The program prompts you for which version you want (small or large).

The installation program is smart. Should you select the small version then later decide you want the larger version, the installation program realizes that part of the program is already on your hard drive and only installs the changes required. This saves you time and effort.

The large version not only gives you the features I mentioned above, it also includes a Terminate-and-stay-Resident option. This lets you call forth the calendar/cartoon even if you are in another program. Perfect for making appointment changes, altering your to-do list, or just taking a cartoon break. The TSR mode is required for the alarm options to work (the program can't very well tell you about your 3:00 PM appointment if it isn't even running, now can it?). You can, of course, tell the TSR to go away so

that another program can use that precious RAM.

THE BUSINESS END

The Day Planner is just that, a screen dividing the day into separate sections for your appointments or schedule. You can add and delete times as you need them, and set alarms so that your TSR can warn you when you need to divert your attention else-The To Do List is a

simple list of up to forty items, with a priority number assignment. Changing the priority number of an item moves it up or down the list.

Setting Time and Date will change the clock on your PC. And it does, too. Not




Figure 1. A sample screen of the small version of Cartoon-A-Day Plus. The cartoon changes every day.

the RAM clock, but the hardware clock. Turning your computer off and then back on does not lose the changed time stored in the clock.

The Year Planner displays the entire

TI	hui	sd	lay	,	Ju	19	2	199	2						Ti														Т		
ZDC	5		7	1	2	3	4	E					8		1	M A B	1	2	3	4	5		7	APR		7		1	2	3	
H	-	6				10		В	2	3	7	5	6	7	8	R	8	9			12			R	5	-		8		10	
						24	= (7)	100			-	-			15	- 100					19							15			
		27				-	25		- 200	-	18 25	-0.7	77.7	100				30		25	26	27	28					22 29		24	25
MAY	3	4	5	6	7	1 8	9	J	7	1 8	2	3	4	5	6	J	5	6	7	1 8		3		AUG	2	3	4	5	6	7	1 8
	17	18	19	20	21	15 22 29					16				20 27						16 23			G	16	17	18	12 19 26	20		
	31								28	29	30						26	27	28	29	30	31			30		20	20	41	20	20
SEP		7	1	2	3	4	5	0		_			1		3	N	1	2	3	4	5	-	7	D			1	2		4	0.70
P	6		8			11		1		5	6	7		-	10	0	8	9		373	12		-	c	6	7	8			11	
噩						25		100			13		-						-		19		-	- 100	1000	= 111	-	16	750		
		28			41	20	20				27		-	-			29	1	24	25	26	21	28					23 30		25	26
					P	a i	d	Unpa	id		ot	al		U	sed	AI	lo	ca	tec	d	Re	in a	ini	ng							
	ica					0		0				0			0			0					0								
	ck					0	- 1	0				0	- 1		0			0					0								
	rs					0		0				0			0			0					0								
_	li		45			0		0				0			0			0					0	- 1							
Ot	he	r		- 1		0		0				0	- 11		0			0					0								

Figure 2. The Year Planner lets you track your special days, including anniversaries, birthdays, and other important events that reoccur on a yearly basis.

to your personal income tax return.

table-driven panel fields

- your labels and default data
- optional, prompted annotation
- year-to-date summary printout
- · resets to start next year
- · only 377 bytes reside in RAM
- · standardizes format
- · promotes time management
- · provides current accounting
- avoids the year-end crisis
- · keeps you in control

PDD:

for Ultrasoft \$44.95 ppd \$49.95 ppd Disk Power™ 100

Software Versand, Points West No. 158 U.31 W. Cochise Dr., Phoenix, AZ - 85051 3131 W. Cochise Dr., Phoenix, AZ 8505; Phone: 602-997-1523 © 1989 TM0

Circle 128 on readers service card.

year at a time. At the bottom of the calendar is a table displaying the Vacation, sick, personal, holiday, and other days you have used so far this year, divided up into used, allocated, and remaining, with the added information of paid and unpaid.

The idea is that you tell the calendar program how many of each of those categories you have, then go into the calendar area and mark the days unused so far. Naturally, the Day Planner can be used from within the Year Planner to set appointments and alarms.

Calendar-A-Day Plus lets you print the cartoons included!

THE FUN PART

Unlike other programs, Calendar-A-Day Plus lets you print the cartoons included! You have several options here which let you control the scale (size) of the cartoon printed, the position (distance from left and top margins), printer port, and whether you use portrait (vertical paper) or landscape (horizontal on the page).

Not only can you print the cartoons, you can include them on memos you send to other people. Thus, you can page through the cartoons available, select the

SOFTWARE REVIEW

appropriate cartoon, write a full page memo, and then print it all out. And face it, a memo with cartoon is far more likely to be read than one that simply arrives written out.

The cartoon options offered from the main menu are very simple, either replace the current cartoon by removing it from the set, or remove the current cartoon automatically at the end of each day. And this betrays the first problem I have with this package: it throws away the current cartoon at the end of the day! I can't go back and look at an old cartoon, it is gone. So, while you can page forward to look at the cartoons yet to come, you can't look at the ones that passed.

On the other hand, you could always go to the Add Cartoons selection and just reload the same file of Kevin Pope cartoons onto the end of the current set. Not elegant, but it works. I assume from the inclusion of this selection, that Individual Software is planning future releases of just the cartoon sets.

SUMMARY

Cartoon-A-Day Plus is a fun little package. It works, it's simple, it's small. It supports a variety of printers, including laser printers, but all you really need is a computer that emulates a standard Epson/IBM printer. Because all the cartoons are black and white, they reproduce perfectly on any dot matrix printer. Naturally, the various lists and schedules can be printed at any time you need

While it cannot compare with Sidekick or some of the other industrial strength daytimers, neither does it require megabytes of disk space and hordes of diskettes to do the job. Plus, you can print out the cartoons you like. I like that. A lot.

I wonder what the next collection will

PRODUCT SPECIFICATIONS & SUPPLIERS

Cartoon-A-Day Plus — \$39.95 Requires MS-DOS 3.3 or higher; 512K RAM; EGA, VGA, MCGA, or Hercules Graphics card; and a hard disk drive.

Individual Software Inc. 5870 Stoneridge Drive #1 Pleasanton, CA 94588-9900 800 331-3313


European Office Interleuvenlaan 21, Q2 3001 Leuven Belgium 016/29.36.82

All our readers

From: The staff at Portable 100

Date: 6/16/92

Re: Cartoons



A fast test of the quick memo feature ¤

Figure 3. Write memos that attract attention by including a cartoon. (The memo above has its bottom cropped off for this article.)

MS-DOS computers.

Help! How do I ...

Two books for the MS-DOS neophyte give you a painless start on Microsoft's latest DOS — MS-DOS 5.0.

by Terry Kepner

t last, two books that provide a user-friendly approach tailored to teaching new users MS-DOS, that antiquated operating system with an arcane command structure that makes sense only to the dedicated computer tech-head.

MS-DOS has always been its own worst enemy. Its user-hostile terse responses (Abort, Retry, Ignore is one such helpful prompt), bizarre command structure, and indecipherable manual have prevented millions of people from using their computer to its fullest potential. It has, in fact, convinced millions of people buy Macintosh and Amiga computers, just to escape that horrid C: prompt.

Into this breach have stepped two book publishers trying to make MS-DOS easier for the new user to understand and use: MaranGraphics and Que. Both adopt a visual approach to explaining the commands covered, but the end results are dramatically different.

EASY DOS

Easy DOS is Que's entry. At 198 pages, it is the thicker of the two books. Measuring eight inches by ten inches, the book is smaller than most notebook computers. The first thing that strikes you are the colors. The outside two inches of every page is shaded while the rest of the page is standard white.

The sections that deal with book related topics, Table of Contents and Index, have this edge-strip shaded purple. The Introduction and Reference sections are a light blue. The section covering Basics — Using Your Keyboard, Typing a command, Taking Care of the Computer, and so forth — is pink. The section between, the meat of the book, is a light green.

Easy Dos is a well thought-out book. Instead of being organized by MS-DOS commands it is organized by task, what the user wants to do. Further, each task is given two pages, one as a complete explanation with step by step instructions. the other as a summary. Plus, pictures of what you see on the screen are shown, both before and after typing the command.

Thus, instead of lumping everything that has to do with directories under the listing Directory, the book has a table of contents listing Display files. On that lefthand page are step-by-step instructions and a complete explanation of what typing DIR gives you. On the opposite page is the summary.

A separate task, and starting on a lefthand page, is given to Make a wide file listing, using the command DIR /W.

Finding a task is simple, you need neither Table of Contents nor Index. In the shaded area of every green left-hand page, at the top left and under the word TASK, is given the task for that page. To find a command, all you need to do is thumb through the pages.

On the right-hand pages, midway down, is the word REVIEW and the task being reviewed. So, no matter which way you are thumbing, you can always see which task is covered in that set of pages.

Each command covered is given a thorough explanation of what you must type and why. For example, on page 62 is the task Remove a directory. Underneath a picture of a screen with the C: prompt and the command RD \ DATA are these




Figure 1. A sample two-page spread from Easy DOS. These pages cover the DOS command PROMPT.

FREE UP MEMORY PUT YOUR PROGRAMS ON A ROM



With our tools, you can put your own programs on a ROM. Or we can do it for you. Call For Details On Our Custom Rom Service.

SECRETS OF ROM REVEALED - \$49.95

Concise, easy to understand manual covers everything you need to know to call standard Model 100/102 ROM routines from an Option ROM (listings included), how to call the text editor from .CO and Option ROM programs, the source code for a complete option ROM program that does a search and replace on test files, and information on Model 200 & NEC 8201 ROMS. Includes disk.

C100 - \$699.00

Cross development system for putting 'C' programs on a ROM.

HARDWARE

Eproms. Burners. Molex, EZ-FLEX or socketted Adapters. Erasers.

MODEL 100/102 APPLICATION NOTES

A technical series intended to illustrate some of the capabilities of the Model 100/102 while addressing real problems with real solutions. (Cali for list)

NEW

Pro-RBASIC - \$345.00

Professional version of RBASIC (V5,00). Now you can put more than one BASIC program on one Tandy Model 100, 102, or 200 ROM. Improved system enables even larger programs to be put on a ROM. Other enhancements increase the range of convertable code.

OFF RBASIC V 4.00 Only \$199.00

King Computer Services, Inc.

10350 Samoa Avenue, Tujunga, CA 91042 (818) 951-5240, FAX (818) 353-1278

Circle 116 on reader service card.

instructions:

Type RD.
 RD is the remove directory command. Typing this command tells DOS to remove and

empty directory.

Press the spacebar once.
 Pressing the spacebar once inserts a space between the command name and the directory name.

3. Type \DATA.

Data is the name of the directory you want to remove. The entire command is RD \DATA. If you do not have a directory named DATA, type the name of the directory that you do have. Make sure it is a directory you no longer need. (To create the DATA directory, see TASK: Make a directory.)

Press ENTER.
 Pressing Enter confirms the command. The directory is removed.

Type DIR and press ENTER.
 This step displays a directory listing so that you can verify that the directory is removed.

In these instructions, the words you type (DIR, $\backslash DATA$) or the actions you

perform (*space bar once, ENTER*) are in red. The explanations beneath each command or action is in blue. The rest of the text is black.

On the right-hand page, at the top, is a picture of the display after performing instruction number five. Below it is the review of the task, essentially the first

For the MS-DOS terrified, Easy Dos is the best guide.

three instructions I have listed above, but without the blue explanatory text.

Easy DOS covers not only the DOS commands, but also the new MS-DOS User Shell, DOSSHELL, a graphical user interface designed to make MS-DOS simpler to operate and use. Unfortunately, while Easy DOS devotes seventy-four pages to DOS commands, only forty-six pages are about DOSSHELL.

This translates into a difference of twenty-two Shell tasks covered versus

MOVING UP

thirty-seven DOS tasks. (The book gives twenty-two pages to covering basic issues such as Understanding Disk Organization.)

While the book covers thirty-seven DOS tasks, this translates into only twenty-two commands covered. (BACKUP, CD, CHKDSK, CLS, DATE, DEL, DIR, DISKCOPY, FORMAT, LABEL, MD, PATH, PROMPT, RD, RENAME, RESTORE, TIME, TREE, TYPE, UNDELETE, VER, and VOL). On the whole though, trying to present more commands and tasks in the book would have defeated the purpose of it: to be a friendly and simple guide for novice MSDOS users.

The reference section, twenty-two pages, is divided into four subsections. The first, one page, is a quick index to twenty of the commands covered (skipping *PATH* and *TREE*). The next two pages list common error messages and what they mean in English (and good explanations, too).

The following sixteen pages, the Software Guide, discuss common software packages (word processors, spreadsheets, data bases, and seven other categories), telling you what they do, why people might want them, and sample screen displays so you can recognize them should you accidentally stumble into an unfamiliar program.

The final four pages are a glossary to some of the terms introduced in the book. Definitely a help to the true beginning computerist.

MARANGRAPHICS' SIMPLIFIED USER GUIDE TO MS-DOS 5.0

Marangraphics' book packs a lot more information into fewer pages than Easy DOS. While it also uses pictures of the display screen to show you the before and after of each command covered, it also includes intermediary screen shots where appropriate, and illustrates more variations of the commands. While the information, at first, might appear overwhelming, the organization makes it easy to pick out only the specific command and variation that interests you.

For example, the four pages that cover the COPY command show examples of copying a file to another drive using the same name, with a different name, and using the "*" wildcard; within the same directory, with the asterisk wildcard, and to another directory; and copying from the keyboard. All this, with pictures, in just four pages.

The layout of the pages is attractive and convenient. On the right-hand pages, on the outside edge, is a black,

red, and gray half-inch bar. In the first half of the book the black section is labeled "Using the Command Prompt." Under this is the red section, divided into five sections: Getting Started, Managing Your Directory, Managing Your Files, Managing Your Floppy Disks, and Managing your Hard Disk. The appropriate section is highlighted in a white box as you thumb through the book. The second half of the book covers the MS-DOS User Shell, with the same subsections as the DOS portion.

At the top of the right-hand page are listed the specific commands covered in each subsection. Black print is normally used to list the commands, with the specific command covered on a the current page highlighted in red.

The left-hand pages list the specific command (or commands) covered on that and the next page in large red print. This gives you two methods to locate the command you want, by subject and by name. Naturally, there is both a table of contents and index to provide cross-reference assistance.

The print in MaranGraphics' Simplified User Guide to MS-DOS 5.0 is much smaller than in Easy DOS, so some people may have difficulty reading. On the other hand, the diagrams are much more helpful and detailed. The DOS section is fifty-eight pages long, the DOSSHELL section is sixty-four (to include those operations only germane to the DOSSHELL, such as changing screen mode from text to graphics, changing colors, and so forth.

Commands covered are: CD, CLS, COPY, BACKUP, CHKDSK, DATE, DELETE, DIR, DISKCOPY, FOR-MAT, MD, MIRROR, MORE, PATH, PRINT, PROMPT, RD, RENAME, RESTORE, SORT, TIME, TREE, TYPE, UNDELETE, VER, VOL, and XCOPY, for a total of twenty-seven. The nicest part of the book is that it doesn't merely show you an example, it gives variations. For example, under Sort Files, it shows sorting a directory by name, extension, date, and size. Then, at the bottom of the second page, it lists the commands you need to sort in reverse order and pause every screen for name, extension, date, and size, with a second table listing the commands for doing these commands and sending the results to your printer.

The extensive use of both graphic diagrams and screen pictures goes a long way towards making the commands understandable. Having the command options not only men-

tioned but in many cases illustrated, makes it easier for the novice to make their computer work harder for them with less pain and effort.

SUMMARY

For the MS-DOS terrified, Easy Dos is the best guide. Its explain-every-step approach eliminates potential problems that befall most novice MS-DOS users. While it isn't comprehensive, it covers all the important commands every MS-DOS beginner needs to know. Its large

The diagrams are much more helpful and detailed.

format and print make it simple to use, and it is still small enough to pack in the carrying case of your 1100FD/HD. It's only detraction is that it is such a basic guide that much information on the commands included is not covered.

MaranGraphics' Simplified User Guide for Microsoft MS-DOS 5.0 is the better choice if you are merely intimidated by MS-DOS and not terrified of it. While it isn't a foolproof step-by-step guide, it does provide all the information a beginner needs to accomplish common tasks, and covers more of them than Easy

PRODUCT SPECIFICATIONS & SUPPLIERS

marangraphics' Simplified User Guide for Microsoft MS-DOS 5.0 - \$12.95

by Richard Maran, ISBN 0-9694290-

8.5-inches by 11-inches, softbound, 126 pages. Table of contents, index included.

maranGraphics Inc. 5755 Coopers Avenue Mississauga, Ontario Canada L4Z 1R9 (416) 890-3300

Easy DOS — \$19.95

by Shelley O'Hara, ISBN 1-88022-854-7

8-inches by 10-inches tall, softbound, 198 pages. Table of contents, index, reference section in-

QUE 117711 N. College Ave., Suite 140 Carmel, IN 46032

DOS, with far more variations. With the book split almost exactly in half between the direct MS-DOS commands and the MS-DOS User Shell, you won't need another book when you have to move between the two systems.




Figure 2. A two-page spread from Marangraphics' MS-DOS 5.0 guide book.

USE YOUR DESKTOP COMPUTER AS A DISK DRIVE FOR YOUR M-100.





Try Disk + for 30 days. If you aren't as excited as we are, return it for a full refund.

When we designed *Disk* + we did it out of necessity. We wanted a way that we could just connect a Model 100 to our desktop computer with a cable and save files onto the desktop's disk drive. We wanted it to be so simple to use it would be self-explanatory.

Picture this. *Disk* + comes to you on a Snap-in ROM and a diskette for your desktop. You take a quarter and open the little compartment on the back of your Model 100. Then you just press the ROM into the socket. *Disk* + appears on your main menu just like a built-in.

You connect your Model 100 to your other computer using an RS232 cable (available from TMNE for only \$20).

You just place the *Disk* + diskette into the desktop's drive and turn on the computer. It powers up automatically and says "awaiting command" on your desktop's screen. Then you just put the widebar cursor on the Model 100 main menu on *Disk* + and press ENTER. You are shown your RAM files arranged just like the main menu.

To save a file to your other system's disk drive, you just move the widebar cursor to the file you want to save and press ENTER. It is saved instantly with no further action.

To look at the disk directory, you just press a function key on your Model 100. You see immediately the disk directory on your Model 100 screen, and it is arranged just like your Model 100's main menu.

To load a file from the diskette to your Model 100, you just move the widebar cursor to the file and press ENTER. The file is transferred to your Model 100's RAM instantly. You can press F8 and go back to the main menu, and the file you loaded from diskette is there, ready to use.

It is so nice to be able to keep your documents, programs (both BASIC and machine code) and *Lucid* spreadsheet files on the diskette, and bring them back when you need them. All files are ready to run or use with no changes or protocol by you.

If you have access to a desktop computer and don't have Disk+, then evidently we have done a poor job telling you about it.

All files and programs that you load or save, go over and come back exactly as they are supposed to be because of full error checking. This guaranteed integrity is really a comfort. Disk + is wonderful in so many other ways. For example, you can do a "save all" of all your RAM files with just a touch of a function key. That group of files is saved on the diskette under a single filename with a .SD (for subdirectory) extension. Any time you want, you can bring back all those files at once, or just one or two if you like, again with one-button ease.

Disk + takes up no RAM. That's zero bytes either for storing the program or for operating overhead.

What really excites most *Disk* + users is text file cross compatibility. Your Model 100's text files are usable on your desktop computer, and your desktop's text files become Model 100 text files.

This means you can write something on your Model 100, and with Disk + transfer it

1 (603) 588-2010

instantly to your desktop and start using it right away on your bigger computer. Or the way we like to work is to type in a document on the desktop computer and then transfer it to our Model 100 with Disk + . Then we print out the document, beautifully formatted, using WRITE ROM.

NOW AVAILABLE ON

Disk + works with just about every micro sold, from IBM PC and its clones, to all Radio Shack computers (yes, all), to Apple II, Kaypro, Epson and most CPM. Just ask us. More than likely, your computer is supported.

Incidentally, hundreds of Model 100 owners have gone to their Radio Shack stores and bought a color computer because it is so low priced, and with *Disk* + they have an inexpensive disk drive.

And if that weren't enough, how about this: Disk + also provides cross-compatibility between different computers like IBM, Apple or the Model 4 using the Model 100 as the intermediary device. Quite a feature!

The snap-in ROM is really great because you can use other ROMs like *Lucid* or WRITE ROM. They snap in and out as easily as an Atari game cartridge and you never lose your files in RAM.

Anyone who ever uses *Disk* + simply can't do without it. But so many times we have had new users call us and say, "Wow! I had no idea when I ordered it that *Disk* + would be so fantastic. I just couldn't believe that I could use my desktop computer's disk drive with my Model 100 just like it is another main menu."

That's why we sell *Disk* + on a thirty-day trial. If you aren't completely satisfied, return it within thirty days for a full refund. Priced at \$149.95 on Snap-in ROM. MasterCard, Visa or COD.

Distributed by:

Tri-Mike Network East

P.O. Box 372, Peterborough, NH 03458

Please add \$5.00 shipping and handling charge to your order.

Tandy Model 100, 102, and 200 (untested).

CKREG.CA

Creating a check register with Lucid.

by Algis Kaupas

Editor's note: This article is derived from three files (SROM10.TIP, SROM11.TIP, and SROM12.TIP) originally posted on CompuServe's Model 100 Forum and reprinted here with the author's permission. For ease of entering the data into your computer, rather than typing it in, you can download the files from CompuServe or the Portable 100 BBS and paste in the necessary portions.

his article will step through the development of CKREG.CA, an application for the Lucid and Lucid Database programs that are part of Super ROM. They will describe a simple checkbook register, input and report templates for the register, reconciling with the bank statement, and methods of assigning the information in the register to account codes.

I hope they will begin to give you a feel for spreadsheets in general and Lucid in particular. I also hope they encourage you to develop your own applications, to experiment further with both Lucid and Lucid Database, and to try adapting approaches found in guides for other spreadsheets and other computers for use with Lucid and the Model 100.

We'll start with the design of the check register, and a method for printing it from within Lucid.

MANUAL CHECK REGISTER

Figure 1 is an example of a manual checkbook register as it might look a few days into January of a new year. Information about each financial transaction is entered into the check register, and a running balance maintained by subtracting debits (checks and payments) from the previous balance, and adding credits (deposits) to it.

cells will perform the calculations done by us in the manual checkbook.

This version of CKREG.CA is designed to be printed from within the spreadsheet, so it is desirable to add a label and summary section at the top of the spreadsheet, as in Figure 3.

Data entries start at cell A8. Debit amounts are entered into column F, and credit amounts into column G.

-						The state of the s	
[A]	[B]	[C]	[D]	[E]	[F]	[G]	[H]
Х	REF NO	DATE	ACCT#	DESCRIPTION	DEBIT	CREDIT	BALANCE
				BALANCE FORWARD		[INPUT]	[FORMULA] [FORMULA]

Figure 2. A format similar to the bank's statement can be used.

At the end of the month, items are checked to see if they have cleared the bank, and any additional credits/ charges entered. The items recorded are checked against the bank's version of account activity, and a reconciliation made to verify the accuracy of the inputs and calculations.

BASIC FORMAT OF CKREG.CA

A format similar to the checkbook example can be used for CKREG.CA (see Figure 2). Column [A], "X," will be used later for reconciliation, and column [D], "ACCT," for assigning transactions to account codes. Information is entered into the appropriate cells, and, when F2 (Calc) is pressed, the formulas placed in

Cell G8 is the cell for inputting the balance carried forward from the previous time period (or the starting balance, if *CKREG.CA* is being set up for the first time.)

Column H has the formula for finding the current balance. The general form of the formula is CURRENT BALANCE (current H cell) = PREVIOUS BALANCE (previous H cell) - DEBIT (F cell in this row) + CREDIT (G cell in this row). Setting up the formula this way allows the balance to be found whether the row item is a debit or a credit.

In cell H8, this is entered as +H7-F8+G8. This formula is then copied and pasted into as many cells down column H as you need:

1. Push F7 (Sel).

2. When the prompt Range Cn:Cn appears, press ENTER.

3. Press F5 (Copy). Wait will flash on the screen. When it disaapears, the contents of the cell is in Lucid's paste buffer.

4. Move the cursor to the next cell down, and press PASTE.

5. Press F1 (Fmla) to select Lucid's paste buffer for pasting.6. When the prompt Range Cn:Cn

х	REF	NO DATE	DESCRIPTION	DEBIT	CREDIT	BALANCE	7
			BALANCE FORWARD		1,000.00	1,000.00	
1	01	1.01	Computer supplie	100.00		900.00	
	601	1.02	Deposit-Inv. #8601		1,200.00	2,100.00	
	02	1.04	Rent	500.00		1,600.00	
-	03	1.05	Office supplies	100.00		1,500.00	
-	602	1.07	Deposit- Inv. #8602		500.00	2,000.00	
	04	1.08	Telephone	100.00		1,900.00	
-	05	1.09	Utilities	50.00		1,850.00	

Figure 1. A standard paper check register, like the one banks use.

[01] [02] [03] [04]	LAS	[B] EG.CA T UPDA ONCILI	TE	[D] [E] [INPUT] [INPUT]	[F] PREVIOUS CREDITS: DEBITS: NEW BALAN	[G] BALANCE:	[H] [+G8] [+SUM(G9:G249)] [+SUM(F9:F249)] [+H1+H2-H3]
[05] [06] [07]		REF	DATE	ACCTDESCRIPTION	DEBIT	CREDIT	BALANCE
[80]			**	BAL FORWARD		1,000.00	[+H7-F8+G8]
[09]		101	1.01	Comp supplies		0	[+H8-F9+G9]
[10]		8601	1.02	Deposit-#8601	1	1,200.00	[+H9-F10+G10]
[11]		102	1.04	Rent	500.0	0	[+H10-F11+G11]
[12]		103	1.05	Office suppl	100.0	0	[+H11-F12+G12]
[13]		8602	1.07	Deposit-#8602	2	500.00	[+H12-F13+G13]
[14]		104	1.08	Telephone	100.0	0	[+H13-F14+G14]
[15]		105	1.09	Utilities	50.0	0	[+H14-F15+G15]

Figure 3. Including a label and summary section is always a good idea.

appears, use the *BKSP* key to erase the second *Cn* and change it to the end of the range that you want the formula pasted into, and press *ENTER*.

7. When Wait ceases to flash, the pasting is complete.

The formula being copied and pasted uses *relative cell references*. This means that the formula will be adjusted depending upon the cell that it's copied into. In cell H9, for example, the formula will become +H8-F9+G9; in cell H10, +H9-F10+G10; etc. (If the cell number is preceded by a "\$," it is an *absolute cell reference*, meaning that the cell number will stay the same, whatever cell it is pasted into.)

LABELS AND SUMMARY SECTION

The top section of the spreadsheet is for information, labels and a summary of account activity. Cell D1 identifies the time period for the check register. Cell D3 is for the date of the last entry, and cell D4 for the date of reconciliation with the bank statement. The current date can be entered into either of the date cells by pressing F1 (Edit), and then entering CTRL-D, made by pressing the D key while holding down the CTRL key.

The summary section in the upper right-hand corner of the spreadsheet also acts as a proof section. Cell H1, for the PREVIOUS BALANCE, has the formula +G8 entered into it. Whatever value is placed in Cell G8 (the balance forward credit cell) will also appear in cell H1. Cell H2, CREDITS, has the formula +

SUM(G9:G249.) This will total all the credits in column G except the starting balance in G8. Cell H3 has the formula +SUM(F9:F249). This is the formula for totalling all the entered debits.

Cell G4 has the formula +H1+H2-H3, which is PREVIOUS BALANCE + TOTAL CREDITS (excluding the starting balance) - TOTAL DEBITS. This should equal the current balance in the last cell of column H.

PRINTING

When printing directly from a *Lucid* .CA spreadsheet (i.e., not using a report template), characters will be printed only if they are "uncovered." A 17-character entry, for example, in a column that has the *Lucid* default width of nine characters will only print out the first nine characters if there is an entry in the cell to the right of it. If that cell is blank, the full 17 characters would be printed out. Scanning through the spreadsheet with the cursor allows one to view what will be printed out.

(When using the report templates, the printing width of a cell is determined by the width of the cell reference, and the spreadsheet can be left with its default width of nine for all cells. This will be described more fully later.)

In any case, it's useful to format the column widths before printing when printing directly from the spreadsheet. The column width is set by following this procedure:

- Place cursor over a cell in the column whose width is being set.
- 2. Push F7 (Sel).
- 3. At prompt Range Cn:Cn, press ENTER.
- 4. Press F2 (Width).
- 5. At prompt Width?, type in the number of spaces and press

column	label	typical entry	spaces
A	X	Х	3
В	REF	8601	6
C	DATE	12.12	7
D	ACCT	5	6
E	DESCRIPTION	BALANCE FORWARD	20
F	DEBIT	10,000.00	11
G	CREDIT	10,000.00	11
H	BALANCE	10,000.00	11
TOTAL N	UMBER OF SPAC	ES	75

Figure 4. One method of formatting that leaves space for punching holes for binding and storage.

ENTER.

6. The column will change to the number of spaces desired.

Figure 4 shows one way of formatting the column widths, resulting in a total of 75 spaces, which allows printing in either standard type (10 characters per inch, 80 characters per line) with total left and right margins of 5 spaces on 8.5 X 11 paper; or in elite type (12 cpi, 96 characters per line) with total margins of 21 spaces, sufficient for hole punching and putting in a binder.

Here's the procedure for printing from the spreadsheet (see also pp. 44-48 of the *Lucid* manual):

- 1. Set up your printer for the type size you want. (This may require going into BASIC to enter the control codes—Lucid, unlike Write, doesn't support global printer setup codes).
- 2. Go into your CKREG.CA spreadsheet, and go to the upper left corner using CTRL-up arrow or CTRL-W.
- 3. Hit the PRINT function key.
- Hit F4 (Page) to format the printout, as detailed in the Lucid manual on pp. 44-48.
- 5. Hit F2 (Rnge). To print the whole spreadsheet, press the period (.) key to "lock" the range, and then hit CTRL-down arrow. A portion of the spreadsheet can also be printed out.
- 6. Hit F1 (Go).

Figure 5 shows how the above example would be printed out using the column widths in the above example.

CREATING CKREG.CA

CKREG.DO (Listing 1) is an ASCII hex file that can be converted to Lucid's .CA format by using the utility program CHANGE.BA (available on CompuServe's Model 100 Forum, the Portable 100 BBS, and Club 100). It is a formatted, blank template for CKREG.CA as described above. Please note that cells other than input and data entry cells have been protected—to unprotect them, see your Lucid manual. The balance formulas have been carried down to H29.

For instructions on using CHANGE.BA to convert the hex file to a .CA file, see the sidebar on page 20.

COPYING THE TEMPLATE

Now, having created the CKREG.CA template, and before using it, I suggest saving a blank copy of it as MSTRCK or some such name.

THE EASY WAY:

1. DO NOT KILL THE HEX FILE in step

CKREG.CA V	.1.0: [II	NPUT]	PREVIOUS BAT	LANCE:	1,000.00
LAST UPDAT	E [II	NPUT]	DEBITS:		850.00
RECONCILIA		NPUT]	NEW BALANCE		1,850.00
X REF		CCT DESCRIPTION	DEBIT	CREDIT	BALANCE
		BAL FORWARD		1,000.00	1,000.00
101	1.01	Comp supplies	100.00	- 1. 18 18 18 18 18 18 18 18	900.00
8601	1.02	Deposit-#8601		1,200.00	2,100.00
102	1.04	Rent	500.00	10.8 (10.000.000.000.000	1,600.00
103	1.05	Office suppl	100.00		1,500.00
8602	1.07	Deposit-#8602		500.00	2,000.00
104	1.08	Telephone	100.00		1,900.00
105	1.09	Utilities	50.00		1,850.00

Figure 5. The resulting printout from the format in figure 4.

- # 8 below when converting from hex to .CA format.
- REPEAT the conversion process, using MSTRCK as the .CO output file name.

THE LUCID WAY OF COPYING TEMPLATES

Here's how saving a template is done in *Lucid*:

- 1. Enter the blank .CA template to be saved.
- 2. Go to the upper right hand corner of the spreadsheet.
- 3. Push F7 (Select).
- 4. When the Range A1:A1 prompt

appears, push the period (.) key. This locks the range. Push the *CTRL-down arrow* keys. Push *ENTER*.

- 5. Push F5 (Copy).
- When the Wait prompt quits flashing, the FORMULAS and ENTRIES are in Lucid's paste buffer.
- 7. Push F8 (Exit).
- 8. From the Model 100 main menu, which is where you'll end up, put the cursor over *Super* and press *ENTER*.
- 9. From the Super ROM menu, which is where you'll end up,

CKREG (V.1.0) FOR: [D1]
Last Update: [D3]
Last month's end balance: [H1]
Credits to Date: (FORMULA)[H2]
Debits to Date: (FORMULA)[H3]
New balance: (FORMULA)[H4]
PRESS F5 FOR ENTRY SCREEN/
INPUT FOR CKREG.CA(V.1.0): rec#:[#]
Ref.no.:[b#]
Date: [c#]
Descrip:[e#]
Debit: \$[f#] Credit:\$[g#]
Acct#: [d#]
PRESS F5 FOR ACCT INFO/

Figure 6. CKREG.DO, input template for CKREG.CA.

push F1 = Lucid.

- 10. At the prompt Lucid file?, type in MSTRCK, and push ENTER.
- 11. Push the PASTE function key.
- 12. Push the F1 (Fmla) key, and when the range prompt appears, ENTER.
- 13.The FORMULAS and ENTRIES will now be pasted into the new MSTRCK spreadsheet.
- 14. Format the column widths as described earlier.
- 15.Format the display format of any cells or columns that you want formatted.

61566 62959 0 F3DBD8F602D3D840C0FFFA2020202020200D08600303420108012208080808080801220808081C 00000000000000000000000000000AF030705060107010701070008FFFF000000001B02434B5245 301201040C205B494E5055545D0C01065550524556494F55532042414C414E43453A150108D259C008070000000000008A08070D12020160627920416C676973204B6175706173205B3733333237 2C333135375D2002064C435245444954533A0C0208D649C00000000000000000A28B0907F90729 0D1603014F4C415354205550444154450F03040B5B494E5055545D0B03064B4445424954533A0B 0308D649C000000000000000000A28B0906F906290D160401525245434F4E43494C494154494F4E 1805064F3D3D3D3D3D3D3D3D3D3D3D3D60505074F3D3D3D3D3D3D3D3D3D3D3D0F05084F3D3D3D3D3D3D 3D3D3D3D3D3D0F0601465E58060602485E524546080603495E44415445090604495E4143435409 06054F4445534352495054494F4E0F06064A5E44454249540A06074B5E4352454449540B06084C5E42414C414E43450C070149272D2D2D2D0907024E272D2D2D2D2D2D2D2D2D2D2D0E07034C272D2D2D 2D19070650272D2D2D2D2D2D2D2D2D2D2D10070750272D2D2D2D2D2D2D2D2D2D2D2D10070850272D 2D2D2D2D2D2D2D2D2D2D1008055342414C414E434520464F52574152441308070B5B494E505554 5D0B0808D849C000000000000000008A07088B08068A08070D180908D849C000000000000000000 8A08088B09068A09070D180A08D849C00000000000000008A09088B0A068A0A070D180B08D849 C000000000000000008A0A088B0B068A0B070D180C08D849C00000000000000008A0B088B0C06 8A0C070D180D08D849C00000000000000008A0C088B0D068A0D070D180E08D849C0000000000 0000008A0D088B0E068A0E070D180F08D849C00000000000000008A0E088B0F068A0F070D1810 08D849C00000000000000008A0F088B10068A10070D181108D849C000000000000000008A1008 8B11068A11070D181208D849C000000000000000008A11088B12068A12070D181308D849C00000 000000000008A12088B13068A13070D181408D849C0000000000000008A13088B14068A1407 0D181508D849C000000000000000008A14088B15068A15070D181608D849C00000000000000000000 8A15088B16068A16070D181708D849C00000000000000008A16088B17068A17070D181808D849 C0000000000000000008A17088B18068A18070D181908D849C000000000000000008A18088B1906 8A19070D181A08D849C00000000000000008A19088B1A068A1A070D181B08D849C000000000 0000008A1A088B1B068A1B070D181C08D849C00000000000000008A1B088B1C068A1C070D18FA 068940C02B300D09FA078940C02B300D09FA098900C02B300D09FF8000 186569

Listing 1. This hexadecimal file will create the .CA file needed for the check register program.

Instructions for Converting CKREG.DO Hex File to .CA Format with CHANGE.BA

With the help of the program CHANGE.BA, you can convert listing one into a .CA directly readable by Lucid. You can either download CHANGE.BA from the CompuServe Model 100 SIG, GEnis's Laptop Roundtable, or the Portable 100 BBS.

On the Portable 100 BBS, after you call in and give your name, address, and make up a password, you see the main menu. At the main menu, select the Files area. At the next menu, select option four, the Model 100/102/200 files area. The next menu asks for the name of the file to download, type CHANGE.BA. Before you press ENTER, though, tell your Model T that you are going to DOWNLOAD the file, and call it CHANGE. After the Model T is prepared, press ENTER. If this is your first time, the BBS will request the type of file transfer. For the Model T, select ASCII. When you press ENTER, the BBS will immediately begin sending the file. You will need 5,760 bytes free for the file.

After downloading CHANGE.BA, download the documentation, called CHANGE.DOC on the BBS. This file will require 9,472 free bytes. Call it

CHANG.DOC (don't use the exact same name for both files when you download them, otherwise you overwrite one of them with the other.

Now exit the BBS by selecting the <P>revious Menu or <G>oodbye option. After hanging up, go into BASIC and load the CHANGE.DO file and the Model T will convert it to an executable .BA file. Now type RUN.

The first desired line of the hex file is (note, there is a leading space): 61566

The last desired line is (note leading space): 186569

- As a precaution, save the hex file to tape or disk, and backup whatever RAM files you don't want to lose.
- Run CHANGE.BA from the main menu. You'll see a menu of the files in RAM, and labels above the cursor keys.
- 3. Using the arrow keys, put cursor over CKREG.DO.
- Press F2, which is labeled >BIN.
 This will change the hex file to binary (machine language) format

- 5. The following prompt will appear on your screen: .CO output file:
- 6. Type in CKREG as the name you want the file to have. Press ENTER.
- The screen will change to: .CO output file: CKREG, and Working...
- After about two minutes, your M100 will beep, and you'll be prompted Kill hex input file (Y/N)? Since you already have the hex file on tape or disk, answer Y to save memory.
- Put the cursor over the CKREG.CO file name and press F3, labeled >CA, to change the .CO file to a .CA file usable by Lucid.
- 10. The new name will instantly appear inside the widebar cursor. If Super is already on the menu, with the cursor still over CKREG.CA and press ENTER.
- 11.If Super is not on the main menu, use F8 to exit to the main menu and access Super and then Lucid in the usual way (type CALL 63012 and press ENTER in BASIC, hit F1 to get into Lucid). When you see the prompt Lucid file?, type in CKREG, press ENTER, and you're there!

16. Prior to printing, format the *Lucid* print options as described in the *Lucid* manual.

If that seems like a lot of steps, you're right, it is. Console yourself with the fact that using the input and report templates, which I'll describe later, allows you to skip some of these steps, at the cost of having a couple of .DO files in memory.

And console yourself with the fact that *Lucid* on the Model 100 is a handy way of dealing with small files on a portable computer, that you're learning about spreadsheets, and that you'll have a hands-on knowledge of what you do and don't like in spreadsheets when you start considering *Lotus 1-2-3*, *VP Planner*, *SuperCalc*, *Appleworks*, *Microsoft Works*, *Excel*, *Lucid 3-D*, and the other spreadsheets available for desktop computers.

MAKE IT EASY ON YOURSELF

The CKREG.CA spreadsheet is essentially done. And by now, if you've been playing around with it, you realize what a pain it is to put things directly into the spreadsheet—the Model 100 screen is simply too small.

However, Lucid Data lets you create a "view" template to make data entry

much easier, and to establish a routine to give a statement balance that does not include transactions that are not on the bank statement. Using an input template helps this considerably.

Figure 6 is an input template for CKREG.CA. Typeit into TEXT and saveit as CKREG.DO. As always, make sure

If that seems like a lot of steps, you're right, it is.

that there are CODE-0 (¶) markers at the end of view "paragraphs." They should be at the end of the following lines in this case:

PRESS F5 FOR ENTRY SCREEN<CODE-0><ENTER>

PRESS F5 FOR ACCT INFO<CODE-0><ENTER>

The Super ROM manual goes into an

explanation of view input templates several times. The best descriptions are found on pages D7-1 to D8-14.

One thing to note is that all spreadsheet inputs using the view templates are considered text labels *unless* the corresponding columns are formatted to be numerical entries as described in the manual. (I find myself formatting in cell 250 of a column, but also defining the range for formatting as, for example, F1:F250 for the debit column. I suggest you do the same.) Please note also that the view file input name is *CKREG.DO*.

Because of the label and summary sections at the top of the spreadsheet, entries into the CKREG.DO template don't begin until record #8, which is BALANCE FORWARD, and other entries begin at record #9. It's not the most aesthetic arrangement, but it's compensated for by the simplicity of printing directly from the spreadsheet, as opposed to using report templates.

Keep in mind also that the summary section in the view template won't be current until you enter *Lucid* and press F2

Have fun with it, and stay tuned for more information about Lucid ...

Models 100/102/200.

CONTAB.BA, Part One

Temperature conversions with your M-100.

by R. Jim Siebert

onversion tables, or CONTAB, is a program that just grew. You probably know that song. If you have done any programming at all, you can probably even sing the second verse. Don't most programs just grow, and grow? Is any program ever finished? Are programs like some fish, that grow (depending on the food supply) right up until they die?

Anyway, we were working outside the US, and we needed a new medical thermometer. The problem was that the only ones available were calibrated in Celsius, but friend wife was calibrated in Farenheit. I supose that I could have continued to calculate and translate every new need, but the nearby com-

puter seemed a better solution.

The program should be adaptable to any machine using *BASIC*.

Some of the features of this program are designed to make the program quick and easy to use, and can be adapted to building other programs. Two features of note are: 1) The efficient blending of Number keys and Function keys for use in a Menu (to be covered next month), and 2) Quick entry of numerical data and letter identifiers without use of an *ENTER*> keystroke.

This latter is also of interest to machines other than the models 100/102/200. Lines three thru seven are the ones that do the accumulating. The program should be adaptable to any machine using *BASIC*. Another feature of some interest, is the simple plan of converting each new entry to a base value and then converting it to the desired value when requested. This saves many lines of calculating. It resembles the hub system used by the airlines to sort out baggage and passengers on a

'CONTAB conversion tables RJS 2/88:' O\$=Formula identifier, O=numerical inpu 2 US="####.##":GOTO9 3 O=VAL(LEFT\$(A\$, LEN(A\$)-1))::' es & evaluates the numerical part of the 4 O\$=RIGHT\$(A\$,1):RETURN::' picks off the letter used to select the proper con version formula 5 Q\$=INKEY\$:IF Q\$>CHR\$(42)ANDQ\$<CHR\$(58) ORQ\$>CHR\$(64)ANDQ\$<CHR\$(91)ORQ\$>CHR\$(96) ANDQ\$<CHR\$(123)THENA\$=A\$+Q\$:PRINTQ\$; 6 IFQ\$>CHR\$(57)THENGOSUB3:RETURN::' L5 r estricts input to letters & characters and accumulates the numbers until a let ter is input then drops thru to L6 where it is sent to SubL3 for evaluation. 7 GOTO5:: ' Prevents a crash in case some other than a number or letter is input resets 9 CLS 15 PRINT" Temperature Converter R JS ":PRINT 17 LINE(20,0)-(220,7),1,B 100 PRINT: PRINT" Enter temperature follo wed by f,c,r,k (f)arenheit, (c)elsius,
 (r)ankin, (k)elvin":GOSUB5
110 PRINT:PRINT" to be changed into (f, c,r,k)?" 111 C\$=INKEY\$:IFC\$=""THEN111 113 CLS:PRINT 115 IFO\$="f"THENO=(0-32)*5/9 117 IFO\$="c"THENO=0::' the reference 119 IFO\$="k"THENO=0-273.16 121 IFO\$="r"THENO=(0-459.69-32)*5/9 155 IFC\$="f"THENPRINTA\$;" = ";USINGU\$;O* 9/5+32;:PRINT" degrees Farenheit" 157 IFC\$="c"THENPRINTA\$;" = ";USINGU\$;O; :PRINT" degrees Celsius" 159 IFC\$="k"THENPRINTA\$;" = ";USINGU\$;O+ 273.16;:PRINT" degrees Kelvin" 161 IFC\$="r"THENPRINTA\$;" = ";USINGU\$;O* 9/5+32+459.69;:PRINT" degrees Rankin" 199 Q\$="":A\$="":GOTO100

End of listing

Listing 1. CTAB1.BA, for converting between Farenheit and Celsius tempera-

nationwide basis. (I hope it does not send you to Miami and

your luggage to Chicago.)

Naturally, you can customize this program. Start with line 15 and put in your own initials or short name. If your name is too long, you may have to stretch the box as in line 17. Key in everything up thru line 100 and run it over and over until you get this part the way you want. All the parts following the apostrophe (') in any line can be left out to save memory space. The apostrophe (') (called *REM*) is a reminder to the human reader, but means absolutely nothing to the machine reader. Any time the *BASIC* sees a *REM*, it ignores everything after it on that line. This is a useful tool sometimes to lock out a line that you think is causing trouble, but you don't want to erase it lest you have to type it in later. Just put a *REM* or an apostrophe (either will work) at the first of the line immediately after the line number, and the *BASIC* will ignore that line — but you still have it in the right place when you want to try it again.

Let's give special attention to lines three thru seven. They are the ones that do the accumulating of the numerical input and also the selection letter. Someplace in your computer operating manual, usually toward the back, you will find a chart of ASCII values. Study it for a bit, then look at line 5. Be careful that you use the chart designed for your computer because the chart for

Put a REM or an apostrophe immediately after the line number, and BASIC will ignore that line

your printer may be slightly different. This is one of the reasons that different printers do not always print the same text out in exactly the same fashion. Fortunately they all use the same letter and number codes, but the tab and other special formatting

functions are up for grabs.

Line 5 is instructed to act immediately on a single keystroke input and to call it Q\$. If the ASCII value of Q\$ is above 42, but below 58, (a number or a plus or a minus or a decimal point), or if it is above 64, but below 91, (an upper case alphabetic input), or if it is above 96, but below 123, (a lower case alphabetic input) then that input character is to be printed on the screen. If the input is a letter, Line 6 tells it to go to line 3. But, if it fails the test of the first part of line 6, in other words, if it is a number, it will not act on the last part of line 6. It will "fall thru" to line 7 which tells it to go back to line 5 and wait for another single character input which it can append to the ones that came before. This way it collects the pieces to the number you want to convert. It will accept the decimal point too, but when it gets a letter, either upper case or lower case, it goes to line 3. There it converts all but the last one of the accumulated input characters into a single value which it calls "O". Line 4 takes off the last entered character and calls it O\$, which then becomes the selector. This sounds somewhat complicated, but it works so slickly that it is

```
2 U$="####.##":D$="##.###":GOTO9
  O=VAL(LEFT$(A$,LEN(A$)-1))
4 O$=RIGHT$(A$,1):RETURN
 Q$=INKEY$:C$=A$:IF Q$>CHR$(42)ANDQ$<CH
R$(58)ORQ$>CHR$(64)ANDQ$<CHR$(91)ORQ$>CH
R$(96)ANDQ$<CHR$(123)THENA$=A$+Q$:PRINTQ
$;:IFQ$=CHR$(44)THENA$=C$
 IFQ$>CHR$(57)THENGOSUB3:RETURN
  GOTO5
9 CLS
                 Measurement Converter R
15 PRINT"
JS ":PRINT
17 LINE(20,0)-(220,7),1,B
200 PRINT:PRINT" Enter length then (i)nc
h,(f)oot,(y)ard,mil(e), (m)m,(c)m,(M)ete r,(K)m,(k)not, fre(q)uency":GOSUB5 210 PRINT" to be changed into(i,f,y,m,c,
M,k,K,q)?
211 CS=INKEYS: IFCS=""THEN211
213 CLS:PRINT
215 IFO$="i"THENO=O*2.54
217 IFO$="f"THENO=O*12*2.54
219 IFO$="y"THENO=0*36*2.54
221 IFO$="e"THENO=O*12*5280*2.54
223 IFO$="m"THENO=O/10
225 IFO$="c"THENO=O
227 IFO$="M"THENO=O*100
229 IFOS="K"THENO=O*100000
231 IFO$="k"THENO=O*12*2.54*6076.11549
2.54;:PRINT" inches"
257 IFC$="f"THENPRINTA$;" = ";USINGU$;O/
(2.54*12);:PRINT" feet"
259 IFC$="y"THENPRINTA$;" = ";USINGU$;O/
(2.54*36);:PRINT" yards"
261 IFC$="e"THENPRINTA$;" = ";USINGD$;O/
(2.54*12*5280);:PRINT" miles"
263 IFC$="m"THENPRINTA$;" = ";USINGU$;O*
10;:PRINT" millimeters
265 IFC$="c"THENPRINTA$;" = ";USINGU$;O;
:PRINT" centimeters"
267 IFC$="M"THENPRINTA$;" = ";USINGU$;O/
100;:PRINT" Meters"
269 IFC$="K"THENPRINTA$;" = ";USINGD$;O/
100000;:PRINT" Kilometers"
271 IFC$="k"THENPRINTA$;" = ";USINGD$;O/
(2.54*12*6076.11549);:PRINT" knots"
273 IFC$="q"THENPRINTA$;" = ";USINGU$;30
0000000000/O;:PRINT" Cycles/sec"
299 Q$="":A$="":PRINT:GOTO200
```

Listing 2. CT2.BA converts linear measurements between the English system and metric.

well worth the effort to understand it.

I use O and O\$ as holding variables because it is so easy to confuse the letter O with the value zero that I don't dare use it for an important variable. The same is true for Q, I and L. You may have noted that some programers use Q for the variable whenever a "queue" is needed, and I for a counter such as "item". It's a good practice since it uses up these easily confused letters on important, but routine chores. Still, once in awhile, you (I) will make a mistake and spend a frustrating time over an O/O/Q or an I/1/I mixup.

Line 117, you will note does nearly nothing. That is the value being used as the "hub". That variable "O" is the base to which all inputs are converted, and from which all outputs are calcu-

lated.

There are more efficient ways of setting up the table of conversions than the one listed, but there comes a point where

APPLICATION

the memory space saved is at too great a cost to the ease of telling where the program is going. The program as listed can easily be modified to handle any measurement one works with. It could be used to convert frequency to wavelength or to antenna length. It could be used to figure gear ratios and surface speeds on a machine cutter. It handles cookie recipies, or currency rates of conversion. It can be used for almost any thing, and it is easy to modify the program to do it.

Two versions are printed here. The first, CTAB1.BA (1,237 Bytes) does temperature conversions using both the Farenheit scale as used in the United States and the Celsius (or Centegrade) scale as used in all the rest of the world. The Kelvin scale is used by scientists for expansion calculations and is based on the Celsius degree. Lines 119 and 159 show this relationship. The Rankin scale is not much used anymore, but it had been used by American engineers much the same as the Kelvin scale and is based on the Farenheit degree. Lines 121 and 156 show this relationship.

The second CT2.BA is a linear measurement converter. You can add to it anything you can look up in your old Physics book or engineering handbook. It is fairly compact. You will note that all the (') or REM statements have been left out to make it take

There comes a point where the memory space saved is at too great a cost to the ease of telling where the program is going.

up less memory space. It takes up 1,215 Bytes, which less than the smaller program that has all the *REM* statements in it. DON'T throw away all copies of programs that have *REM* statements in them. Sometime you will want to use one of those lines and you will have a difficult time figuring out where to begin and where to end. Those *REM* statements are very valuable. You'll save time if you use lots of them when you are making up a program on your own. Make TWO copies. Make one with the all the *REM* statements in and store it on disk and in print and then make the machine copy small for use. I'd be interested to hear how you put any of this to use.

Happy programming!

If someone you know just can't input numbers without using commas to set off the thousands, then fix line 5 such that it will print the comma, but ignore it for calculating purposes.

5 Q\$=INKEY\$:C\$=A\$:IFQ\$>CHR\$(42)ANDQ\$<CHR \$(58)ORQ\$>CHR\$(64)ANDQ\$<CHR\$(91)ORQ\$>CHR \$(96)ANDQ\$<CHR\$(123)THENA\$=A\$+Q\$:PRINTQ\$;:IFQ\$=CHR\$(44)THENA\$=C\$

ULTRASOFT HAS 'EM!!!

WE'VE GOT 'EM ALL!!!

The Hard-to-Find Accessories, Software and Peripheral Solutions You Need For Your Laptop, Notebook, and Palmtop!!!

We Support the Following Models by Telephone, Fax, or Mail Order:

Tandy 100/102/200

Tandy WP-2

Tandy 1100 FD

Tandy 1400 LT/FD/HD

Tandy 1500 HD

Tandy 1800 HD

Tandy 2800 HD

Tandy 2810 HD

Tandy 3810 HD

Panasonic CF-150/170/270/370

HP 95LX Palmtop

Atari Palmtop Portfolio

Poqet PC-Computer

We Also Carry:

The Kodak Diconix 150+ Portable Printer and the Canon BJ-10e Portable Printer

We've got those hard-to-find:

Carrying cases for Laptop & Printer, and overseas 220V & 240V AC Adapters In Stock for all you globetrotters, too!!!

WE HAVE THE SOLUTIONS FOR ALL YOUR LAPTOP, NOTEBOOK AND PALMTOP NEEDS!!!

Call, Fax, or Write Today for a FREE Catalog

Please specify the Make and Model of your Laptop, Notebook, or Palmtop.



I 1 Transborder Drive, PO Box 247 I Champlain, NY 12919 I Tel: (514) 487-9293

Fax: (514) 487-9295

9-5 EST Mon-Fri

VISA, MC, and AMEX Orders Accepted!!! Also, Government & Educational P.O.'s!!! Quantity Discounts Available!!! Canadian and Dealer Orders Welcome!!!

Model 100, 102, 200, Olivetti M10, Kyocera KC-85, NEC PC-8201/8300 (Untested).

Now Is The Time. And Now. And Now. And Now. And ...

Here are some tips on using the ON TIME\$ interrupt.

by Adrian Ryan

ulti-processing? On a Model 100? Far fetched? Perhaps not. I was investigating the interrupt facility in *BASIC*, because I had a need to have the computer perform a background task at scheduled intervals, and it seemed as if the *ON TIME\$* interrupt might be just what was required. As it turned out it was not exactly what I wanted, but it led me down a fascinating path.

Basically, (no pun intended!) what I needed was a way to get the machine to read an external sensor at a scheduled interval, record the sampled value and the time, and then continue. At first it seemed as if the TIME\$ interrupt was purposely made for this, but certain operational drawbacks (bugs!) forced me to reconsider. It is fairly easy to get the computer to execute a subroutine at a designated time every day, and the following code will perform the same task every day at 12:34:56. (Program

10 ON TIME\$="12:34:56" GOSUB 1000:TIME\$ ON

1000 'Your Interrupt Module
1010 RETURN

Suppose, however, that you want the interrupt to occur every ten seconds. Well, this code will do it: (*Program 2*)

10 ON TIME\$="00:00:10" GOSUB 1000:TIME\$ ON

1000 'Your Interrupt Module 1010 TIME\$ = "00:00:00":' Reset The Time

The snag is, you lose the normal use of the real time clock. I wanted to have the program perform its tasks at the scheduled intervals, and keep track of the date and time!

At this point, it is interesting to observe one of the peculiarities of the interpreter. It seems that the syntax of the *ON TIME\$*= statement is very picky. Suppose that line 10 above appeared like this: (*Program 3*)

10 ON TIME\$ = "00:00:10" GOSUB 1000

A syntax error message (?SN) would be provoked. There must be no spaces between the verb TIME\$ and the qualifier symbol =. A space between the = symbol and the string expression is permissible, however. A check of the BASIC tokenizer and its table reveals that the reserved word is TIME\$=.

There is, however, a way to have your cake and eat it too. *BASIC* places the next scheduled interrupt time in a 6-byte buffer in reserved RAM. With the *TIME\$* interrupt enabled, a check is performed at the end of each statement execution to see

```
10 ON TIME$=TIME$ GOSUB 1000
20 CLS
30 INPUT"Enter Frequency, Seconds:"; R
40 IF (R > 59) OR (R < 2) THEN BEEP: GOTO
20
50 CLS
60 GOSUB 1000: 'Update time value and ena
ble interrupt.
70 PRINT@45, "Current Time "; TIME$
80 K$ = INKEY$: IF (K$ = "") THEN 70
90 TIMES OFF
100 CLS
110 END
999 'Interrupt Routine
1000 TIME$ OFF: 'Disable Interrupts Durin
q Handler
1010 BEEP
1020 T$ = TIME$
1030 H = VAL(MID\$(T\$,1,2))
1040 M = VAL(MID$(T$,4,2))
1050 S = VAL(MID\$(T\$,7,2))
1060 S = S + R:C = 0
1070 IF (S > 59) THEN 1080 ELSE 1090
1080 S = S - 60:C = 1
1090 M = M + C:C = 0
1100 IF (M > 59) THEN 1110 ELSE 1120
1110 M = M - 60:C = 1
1120 H = H + C
1130 IF (H > 23) THEN H = H - 24
1140 AD = 63805: 'Use 63808 for an OLIVE
TTI M-10
1150 X = S:GOSUB 2000
1160 X = M:GOSUB 2000
1170 X = H:GOSUB 2000
1180 GOSUB 3000
1190 PRINT@80, "Next Interrupt at "; H$;":
";M$;":";S$
1200 TIME$ ON: 'Enable Interrupts
1210 RETURN
1999 'Update Next Time
2000 \text{ XH}\% = \text{X} / 10
```

Listing 1. This program demonstrates how to implement repeating interrupts at user-specified intervals while maintaining full use of the real time clock. End the program by pressing any key.

Instant Help On The Go



On the Keyboard...

NEW LAPTOP TEMPLATE KITS. Famous MICROREF design in a universal kit to fit today's laptop/notebook keyboards. Pocket-size guide included. Available for WordPerfect 5.1 and Lotus 1-2-3. Only \$14.95.

In the Computer...

MICROREF QUICK HELP. The only on-line guide that's comprehensive *and* easy to use. No more searching through complicated manuals. Available for most popular PC software. Only \$29.95.

To order call us toll-free: **1-800-553-2212** 708-498-3780, FAX708-498-0185


MICROREF Educational Systems, Inc. Northbrook, IL 60062

Circle 175 on reader service card.

	2010 XL% = X - (10 * XH%)
ı	2020 POKE AD, XL%
ı	2030 AD = AD + 1
ı	2040 POKE AD, XH%
l	2050 AD = AD + 1
l	2060 RETURN
ľ	2999 'Build Time String For Display
	3000 Z = H:GOSUB 4000:H\$ = Z\$
	3010 $Z = M:GOSUB 4000:MS = ZS$
	3020 Z = S:GOSUB 4000:S\$ = Z\$
	3030 RETURN
	3999 'Make 2-Digit String
	4000 Z\$ = STR\$(Z)
	4010 IF (Z < 10) THEN Z\$ = "0" + RIGHT\$(
	Z\$,1)
	4020 Z\$ = RIGHT\$(Z\$,2)
	4030 RETURN
	End of listing.
	and of institute.

Address dec/hex	Contents	Example Time 12:34:56
63805/F93D	seconds (units)	6
63806/F93E	seconds (tens)	5
63807/F93F	minutes (units)	4
63808/F940	minutes (tens)	3
63809/F941	hours (units)	2
63810/F942	hours (tens)	1

Table 1. The Model 100 stores the next interrupt time in a buffer at 63805 (F93D hex). Example column shows values stored for time 12:34:56.



PC <---> Tandy Portable Disk Drive

Tandy WP-2 and Model 100/102/200 owners! Do you have an IBM PC or compatible? Are you tired of squirting your files through a null-modem cable? Tired of setting communications parameters? Of turning your PC into a Portable Disk Drive (PDD) emulator?

PC-PDD is the first program which lets you attach your Tandy PDD to your PC and support the WP-2 and Models 100/102/200 as well as both PDD models (original 100K and the current 200K Model 2)!

- o Copy files to/from the PDD
- o Two bank support for PDD-2
- o Format, kill, rename files
- o "Point-and-shoot" interface & directory navigator
- o DOS file editor & browser
- o and much more!

PC-PDD requires an IBM PC or 100% compatible, 512K memory and a serial port. Send check or money order for \$49 + \$3 S&H (CA residents add 7.75%) or circle the reader service number below. A F-F gender adapter is required. Add \$7 if you need one. Specify if your PC has a 25-pin or 9-pin port.



MicroMime P.O. Box 28181



Santa Ana, CA 92799 CIS 70346,1267 Fax/Phone (714) 545-1765

MCI 200-3496

Circle 149 on reader service card.

if the real time clock value is equal to the buffer contents; if this is so, then the interrupt routine is executed. For the Model 100 the buffer is located at \$F93D / 63805. The format of the data in the buffer is shown in Table 1, along with an example of how the time 12:34:56 would appear in the buffer. (For the Olivetti M10 this buffer is at \$F940/63808.)

In addition, BASIC has a flag at \$F947/63815 to indicate the current state of the interrupt. This location contains a 0 if the interrupt is currently disabled, a 1 if it is enabled, and a 3 if it has been suspended with a TIME\$ STOP command. (The equivalent flag for the Olivetti M10 is at \$F94A/63818.)

All that remains then is to update this buffer. Provided that the buffer contents represent a time in advance of the current time, then the interrupt will be re-scheduled. The program in *Listing 1* is a demonstration of this principle.

The main loop is simply lines 70 and 80, which display the current time. The interrupt routine in subroutine 1000 takes the current time, adds the increment value in seconds from variable R, updates the TIME\$ buffer, displays the next occurrence, and returns. Note that in line 40 the value of R is checked. While in principle it is perfectly possible to have an increment as large as you like, it is not possible to have even this program execute in much less than two seconds. If you alter line 40 to permit an increment of one second, you will find that the program will just about be able to keep up for a few seconds, and then will fail. BASIC is simply too slow to perform all the necessary operations in the allotted time.

In my case, this was no problem since all BASIC had to do in the interrupt routine was to call a machine language program to perform all the necessary operations. That however, was a whole new piece of fun, and is another story!



MS-DOS hard drive equipped computers..

FileRunner: Tracking the Elusive Files

If you use more than one PC, this is the easy way to keep the latest versions of all your files on your PCs.

By Terry Kepner

he quickest way to strike terror in the hearts of the office staff is to ask, "Is this the latest version of this file?" A mad scramble ensues as everyone checks their computer to see who last edited that file. "I rearranged the opening paragraph last Wednesday," says Bob. "I put in the author's corrections on Monday," says Mary. A pause as we examine our respective computers. "Hmmm," I say, "my copy is dated the previous Tuesday when I updated the manufacturer's address information."

Sure enough, all our copies are different

Similarly, when I transport files from my home computer to my office computer, I always have to check to make sure that the copy I have on disk has the latest changes. Several times I've accidentally copied what I thought was the latest version over newly revised text.

NEVERMORE

When MBS Technologies dropped by our office and demonstrated *FileRunner*, I was immediately captivated. Here was the solution to our problems.

FileRunner automatically tracks your files when you transport them, and makes sure that only the latest copy of a file is maintained. And, in the event that changes are made to two copies, it warns you of those differences so you do not accidentally overwrite a file with important changes.

THE CONCEPT

FileRunner, like most important ideas, is fairly simple in concept: Always keep the latest version of a file on disk. The



Figure 1. The opening screen of FileRunner is clean and simple, and lists the drive set-up directory specifications, if any.

execution, though, is not so simple, as anyone who has tried to do that can testify. Is the file on computer at the office the latest? Or wasn't the last

I put twenty-four files, totaling over 1,697,658 bytes, on one 720KB disk.

change made on the file on computer at home? I thought I transferred that copy to my transport disk, but maybe I didn't. Plus, which computer has the correct time? Did I remember to update all three

computers to Daylight Savings?

Inevitably, multiple copies with different changes come into existence.

MBS Technologies, with FileRunner, has conquered this problem, reducing it to only a few (two!) keystrokes. FileRunner takes responsibility for comparing dates, times, and file sizes, and keeping the latest version of the file on the transport disk. All you have to do is to run FileRunner and type those two keystrokes at the end of each typing session.

FileRunner even compresses the files for transport, making it possible to move much larger (or many more) files on disks than previously possible. In fact, I have moved twenty-four files totaling over 1,697,658 bytes to a 3.5-inch 720KB disk, with over 100K of free space left over!

INSTALLATION

To install the program, type IN-STALL. The program prepares a subdirectory called RUNNER (which you can

SOFTWARE REVIEW




Figure 2. Overwrite protection is built-in, and helps prevent accidentally losing information when copying files where both versions have changes.

change) and copies all the relevant files. It requests the name you want to use to identify this particular computer. You have space for up to twelve characters in this description.

The program next asks you for the correct date and time. This information helps the program differentiate between copies of files that are only moments apart in edits and changes (such as in a busy office). It also asks for your Time Zone and if you follow Daylight Savings Time. This information allows the program to correctly transfer files between computers that might be in different states and time zones.

This timing is critical to the success of the program, because all MS-DOS clocks lose time. Some machines lose only a few seconds per week, others lose a minute per day. It doesn't take long to mount up to a big drift. FileRunner tracks this and periodically requests that you reset your clock to the correct time.

And that's all there is to installation.

HOW TO USE IT

FileRunner works by making your two (or more) computers work in lockstep. Every time you update a file, run FileRunner. It looks at the files you have specified and compares them to the files on your transport disk. Updated files are automatically shipped over to the disk. If FileRunner detects any new files created since the last time you ran the program, it queries if you want them moved over.

When you insert the disk in the other computer, run FileRunner. It will compare the files on that computer with the transport disk. If none of the files on the other computer have been changed since the last time the transport disk was used in that computer, FileRunner automati-


cally moves the updated files over to it. New files on the transport disk are moved only after you give permission.

If the program discovers that the files on the other computer have also been updated, it gives you a warning that you are about to overwrite a altered file and will lose the changes. If you don't mind losing those changes, tell the program to overwrite the program on the computer. Alternatively, you can rename the trans-

This timing is critical to the success of the program, because all MS-DOS clocks lose time.

ported file to a new name, preserving both files, or simply ignore this file transfer and go to the next file.

The only problem with this approach is if you have PageMaker, Nutshell Plus, or Alpha Four. These programs do nasty things to files on disk. It's sort of complicated to explain, but the basic problem is that every time you open a file with one of these programs, even if you close it immediately, they alter the date and time on the file. Thus, even though the file on




"On-site Weather Logger", M100/T102-based outdoor & indoor environmental monitoring & control. Systems or a-la-carte.

OWL Analog/digital converter \$185. 7 inputs, 8 bits, 0->1.28 vdc. 5 outputs. poweroff, resume timer.

HOOT program ROM \$65. Spreadsheet-ready data, or direct view. Powerful remark and command entry.

NEMA gasketed case & backplane.



7 channel input multiplexer \$75. 32 channel output multiplexer \$95. Up to 49 inputs in 7-channel "pods".

Fahrenheit temperature probe \$55. Zero to 127, ±0.3°F; sealed on a cable. Our proprietory, rugged design.

Thermocouple multiplexer \$95. Tiny probes, rapid response. 4 standard type T per OWL channel.

New solid state humidity probe \$225. Zero to 94% RH, ±3%. Our own design! Latest swiched capacitor technology.

Anemometer/vane/tachometer \$185. Zero to 127 mph using Digitar cups. Tachometer available separately too.

Tipping bucket rain counter \$130. Counts each 0.01 inch of rain. Event counter available separately too.

Barometer/pressure sensor \$115. Any 128 mb range for barometry. Other absolute or diff. ranges. too.

Please circle reader service number 85



eme systems

voice: (510) 848-5725 fax: (510) 848-5748 2229 5th St., Berkeley, CA 94710

computer B is identical to that on computer A and the transport disk, the new date on the B file makes FileRunner think that the file has been changed.

Specifically, then, if I update a *Pagemaker* file on computer A and put it on computer B to print it out, the act of printing out the file modifies it on disk, giving it a time and date different from what the transport disk has recorded. So when I make corrections to the file on computer A and move it again to computer B, *FileRunner* sees two versions of the same file with changed dates! As a result, it gives me a warning that I am about to lose a file with edits if I continue the transfer.

The only solution is to be very careful when working with files from these programs. Normal programs, Word, Lotus 1-2-3, Software Bridge, The Far Side, and so forth do not have this problem.

RUNNING FILERUNNER

Starting FileRunner gives you an opening screen that summarizes the computer's drive setup, the current date and time, and the options available: Quit, Help, Specify Files, Utilities, Setup, and Start File Transfers (see figure 1).

The F1 key is always available in every screen, and the help is well-written, with enough instructions to get you through the program without requiring the manual at your side all the time.

Before using the program, you should set the options you want the program to use. F9-Set-up lets you customize the program's operation: Monochrome operation, screen colors, file compression, virus checking, computer's name, sound, time zone, Daylight Savings Time operation, time correction, and the drive set-up. Most are Yes/No decisions, like time correction (Do you want FileRunner to correct the time of you PC when it begins to lose time?). The two important choices to make are Virus checking and file compression.

Virus checking uses the commercial program Virex to check each file transported by FileRunner to ensure it does not have any viruses hidden in it, so you don't inadvertently spread a virus to all your computers. It doesn't take much time (only a few seconds), so I suggest you set this option to Yes. Similarly, the file compression option should be set to Yes. It definitely slows things down, almost doubling the time it takes to move a file, but the trade-off in increased space is worth the wait. I have seen files drop in size from over 500K to under 85K, allowing me to use only one disk to carry my files instead of three.

Figure 3. If you don't have the subdirectory on one computer that you do on the other, this is the message you get for each file in that subdirectory that you have selected.

It is a smart file compression utility, and can detect when a file is already compressed, saving you time in transfers

Next, you need to format and create a *FileRunner* data disk. If you don't have a formatted disk handy, you can make one in the *F8-Utilities* submenu.

This menu provides you with both hard drive and diskette operations. For the hard drive you can view, delete, rename, and move files, and you can review and delete *FileRunner* history files (where it tracks files and their time

gives a simple explanation of each option as you scroll through them with the arrow keys. The ESCape key returns you to the main menu

With a formatted disk in hand, you are ready to specify the files you want to track. Put the disk in your drive and press F2. The program checks the disk for information, then warns you that this is not a FileRunner disk and tells you how to make it a FileRunner disk by pressing F2 again.

Next, it displays your computer's hard disk drive directory tree. Use the arrow keys to move up and down the directories. If you want an entire directory selected, press F3. If you only want certain files in a directory, press ENTER.

File selection is limited, in this release, to 200 file specifications (the technical support person said the next release will increase that to 300 files). The real limit, though, is the space available on your FileRunner disk. If you are using 720K disks, you might be able to squeeze as much as 2MB of data. A 1.44MB disk might fit as much as 4MB of data.

Selections can be made either by scrolling through the directory and selecting the files, or by using wildcards to specify groups of files, such as all files that start with AB, or files with the .DOC extension. Unfortunately, there isn't an exclusion option with this release. So, for example, in this version you can't specify all files in a subdirectory except .BAK files (it is promised for the next one, though).

The disadvantage to this selection process is that you have no idea how much room is available on your diskette. There is no *Free Space* command. So, after specifying one directory, and transferring it to the diskette, you don't know if

I have seen files drop in size from over 500K to under 85K.

and date stamps).

For the FileRunner diskette, you can view files on the disk, change the name of a disk, change the hard drive assigned to a disk, or format a disk. Two additional utilities reset the computer's date and time, and check the computer for viruses.

All the utilities work easily, with help sections if you have difficulties. The screen is actually divided into two main sections: one listing the options, the other, a nineteen-column wide area

there is room for another directory until you actually start transferring files. Then, the program gives you a running count of space available as it moves each file.

You can, of course, unselect a file and have it discarded from the FileRunner diskette.

After identifying the files you want to transfer, the only step left is F10, transfer

This step is usually a simple one. Put your FileRunner disk in the drive, run the program, and press F10. The files are quickly transferred. The next time you update your files, only the ones updated are changed.

This process does have several areas where you can mess up. First, the program requires that the subdirectories be identically named. That is, both computers, A and B, must have the subdirectory in existence, or the Hard Drive specification at the opening menu must contain all the subdirectory information. For example, if I have a subdirectory on computer A called C:\PM3\JULYP100, then computer B must have the identically named subdirectory or computer A's Hard Drive specification at the opening screen must say C:\PM3\JULYP100 while computer B's Hard Drive specification at the opening screen must say C:\ JULYP100.

Subsequent subdirectories inside of \JULYP100 are automatically included, but subdirectories of the same submenu level as \ JULYP100 are not.

Attempting to use the program with a second computer without the properly identified subdirectory path causes the program to give you an alert message that the required subdirectory path exists in the FileRunner specifications but not on your hard drive for each file with that subdirectory name. For me, that first time was thirty-five files, and I thought something was wrong with the program as I pressed ENTER in response to the prompt and did not notice that that prompt flickered as it went to the next

Locking the two computers into using the exact same subdirectory name cured the complaint.

Also, by making sure that both (or all) your computers use the same directory names for shared files, you can transport several directories of files on one disk. Or

FileRunner is fast and efficient.

you can use several disks for special groupings. Disk one might include directories A, B, and C, while disk two might have A, and D only.

The other possible mistake can occur the first time you are transferring files to the diskette. The program warns you that that file does not exist on the diskette and asks if you want to delete it from your hard drive. If you are not paying attention, you can accidentally erase important files.

While FileRunner is moving files, it gives you a running description of what it is doing: The number of files on the diskette and the hard drive that match the specifications are listed, with the information on how many files on the diskette are not on the hard drive, how many files on the hard drive are not on the diskette, the number of changed files on the diskette, and the number of changed files on the hard drive.

As it transfers each file, it tells you the size of the file, the free space available on the disk, the position number of the file in the transfer process (number six of

eight, for example).

The free space listing is somewhat unsettling to watch as you see it report that you have 200K free and the file to transfer is 300K. I was quite startled the first time I ran the program to see FileRunner squash 400+K files to an average size of 150K. Three times in a row I watched it squash a 300-400+K file when the free space reading was under 400K, and ended up with 80K still free!

I LIKE IT

The program is fast and efficient. It provides a reliable and effective method of making sure that only the latest edition of a file is on all the computers you use. When you enable the file compression, you can stuff much more than would normally fit onto a diskette. The virus checking software is unobtrusive.

For archiving purposes, FileRunner is a great way to make room on your hard drive without having to go through the tedious process of remembering to backup your hard drive. After using FileRunner for all of our June 1992 issue files, I just hit F10 one last time then put the JUNE 1992 FileRunner disk away and erased the directory from all the computers. Instant backup.

If you use more than one computer, or have to share files with others, FileRunner is a must-have program.

PRODUCT SPECIFICATIONS & SUPPLIERS

FileRunner — \$99.95

Requires MS-DOS 3.1 or greater, 512K RAM (free), hard disk drive with 750K free, and monochrome or CGA (or higher) display.

For transporting files repeatedly between computers and for easy archival of hard drive to floppy storage.

MBS Technologies 34 W. Sycamore Arcadia, CA 91006 (818) 572-0258 (818) 355-7862 (fax)

FileRunner(ta) John's Critical Files Operational Status: Transferring files from C: to B: -Statistics: Runner file specifications...... 1 On B: and not on C:..... Runner files on B:..... 4 Later files on B:..... 0 On C: and not on B:..... 16 Messages: CHARGES.DAT is on C:\ACCOUNTG\ This file was created on this PC. Press I to Transfer to B: Press D to Delete from C:\ACCOUNTG\ Press I to Ignore file transfer at this time. Press A to transfer All 15 file(s) without confirmation on each file. Press T, D, I or A-F1-Help ESC-Exit

Figure 4. The FileRunner transfer screen, displaying the message you get when a new file is found on the hard drive that is not on the transfer diskette.

All computers.

Talking to Your Computer

A Comparison of Popular Computer Languages.

by James Toth

t has been said that computers are very capable, very obedient, and very stupid servants. They do exactly what you tell them to do — no more, no less. But in order to tell then what to do, you must speak their lan-

guage.

Strangely enough, many computer users hardly speak their language at all. They simply run programs that were written by other people who do speak the language. The person who wrote the program is acting as their translator. That is OK for many purposes, but it is not as fast, efficient, or fun as sometimes eliminating the middle man and talking directly to the computer yourself in its own tongue.

Learning a computer language is not a grueling undertaking. Lots of people consider to be more like recreation or a hobby than like work, and you don't need to develop all the skills of a professional programmer. The only real problem that a beginner faces is where to begin. There are dozens upon dozens of computer languages. Which one is the

right one?

Let's take a look at some of the more prominent computer languages and try to get a feel for what they are like. Perhaps you will find one that appeals to

Let's begin at the beginning. In the beginning, God (or someone) created machine language. Machine language is a totally numerical programming language, and you won't like it. A typical machine language instruction looks like this:

11001010

How's that for obscure? Imagine writing a program that contains a few hundred or thousand of these numerical instructions. Before long, every instruc-

tion would begin to look pretty much like all the others. The totally numerical way of machine language programming seems pretty tedious and error-prone to humans.

So why does anyone bother with machine language at all? The reason is that a computer is an electrical number machine, and the binary 0's and 1's constitute its native tongue. A computer is a collections of thousands of microscopic silicon switches, each one of which can

So why does anyone bother with machine language at all?

be either on or off. The 0 can represent an 'off' state, and the 1 can represent an 'on' state. It is the most natural language in the world for a computer. In fact, all other computer languages must at some point be translated into machine language for the computer to understand them.

This translation step, by the way, takes time, and it tends to slow down these other languages considerably. This makes machine language the fastest language around.

But humans can't deal with all those 0's and 1's. 11001010 looks too much like

11011010. And even with the 0's and 1's translated into shorter decimal or hexadecimal numbers, it is difficult to remember the meaning of all those numbers.

So there quickly arose assembly language. Assembly language instructions are mnemonics instead of numbers. In order to make it more palatable for humans, each machine language instruction is replaced by a short word-like instruction that sounds a bit like what the instruction does. Here is a typical assembly language instruction:

MOV AH, 8

It tells the computer to move the number 8 into the computer's AH register. Of course.

Assembly language's short mnemonics are easier for humans to remember than machine language's strings of numbers. They also are easy to translate into machine language before you actually ask the computer to run your program. In fact there are programs (called assemblers) that do this translation for you. Thus you can have the advantage of machine language's speed, without risking drowning in a sea of numbers.

However, there is still a bad side to assembly language. A single typical assembly language instruction does very little by itself. It might tell the computer to move one byte (character) of information from somewhere to somewhere else within the computer, or it may instruct the computer to perform some simple arithmetic calculation. Very many of these little assembly language instructions are needed to do anything of consequence.

Reading and trying to comprehend a program written in assembly language is very much like trying to read a novel by seeing only one letter of it at a time. It is

PROGRAMMING LANGUAGES

a considerable task to piece together all of the microscopic chinks of information into complete ideas that make some sense in the overall scheme of things. For beginners, there are better ways of programming than using assembly language.

The better ways are what programmers call high level languages. The instructions that constitute these languages are bigger, more comprehensible ideas. Reading a program written in one of these higher languages is more like reading a novel by seeing a sentence or several words of it at a time. It is much easier to understand the big picture.

Back in the olden days when I was making my first attempt at learning to program, I found myself working with a language called APL (A Programming Language) and another one called FOR-TRAN (FORmula TRANslation). Although both of these are high level languages, I would not recommend them to

APL is filled with strange symbols.

a beginner. APL is filled with strange symbols like arrows and squares and triangles, and it looks like it came from another planet. FORTRAN is more English-like, but it involves surprisingly many annoying details and restrictions. Again, I think there are better ways to begin.

The most widely known of the easier computer languages is BASIC. That's BASIC, not Basic. BASIC is an acronym for Beginner's All-purpose Symbolic Instruction Code. As its name implies, it is a language that was created with beginners in mind, and microcomputers that don't run BASIC programs are few and far between.

Let's look at a short BASIC program to see what this language is like. This program merely counts on screen from 1 to 10.


- 10 LET X=1
- 20 PRINT X
- 30 LET X=X+1
- 40 IF X>10 THEN END
- 50 GOTO 20

Even without any programming ex-

perience, you can read the program lines and immediately get some idea about what is going on. The X is a numeric variable, just like in high school math class. Line 10 says to start the count at 1. Line 20 prints the current count on the screen. Line 30 increases the count by 1. Line 40 checks to see if a count of 10 has been reached yet. Line 50 continues the counting process until line 40 eventually stops it. Pretty easy stuff.

In fact you probably could think up some modifications to this little program without much trouble. For instance, what would you change about the program to make it count to 100 instead of to 10? Or how would you make it count by 2's? Or how would you make it start the count at 5? No big deal. As with human languages, there are many dialects of *BASIC*. However, there are more similarities than differences, and after learning one of them, you should be pretty comfortable using the others, too.

We mentioned earlier that all computer languages must at some point be






Options for your 100/102/200!

extRAM:

a 32K byte read/write memory expansion that fits into the option ROM socket inside the "T"— 100, 102 or 200. Multitalented...



- RAM-file-bank: Double your space for .DO, .BA and .CO files. Put them in the extRAM and call them back instantly when you need them. The ever-evolving EXTRAS software has great capabilities for "T" enthusiasts, too, to create custom program loaders.
- ROM-emulator: No more single-ROM limitation! Swap ROM images on command from disk, or from your NODE rampac or data-pac, or from RS232. Fast and easy. Works with most ROMware.

(Circle 83 on reader service card)

The software comes with each extRAM in the form of listings and instructions in a 40+ page manual. Optionally, to save typing, you can order a disk with all the programs in machinereadable form. We accept Visa/Mastercard, check, money order (\$ U.S.) or qualified P. O. © 1989 by Paul Globman. Software R2D2X © 1990 by Wilson Van Alst.

extRAM—new low price... See also our new XR4 Ad, This issue?

		ex	RA	М.					\$69	ea.			
01	-?	1	410	0	T1	02		T2	00			3	
		so	Etw	are	di	sk			\$15	ea	d-10		
01	?	5	pd	d	ms-	-dc	S	M	lac				
		ROI	MBC		\$9€	a	or	\$9	6/3	12			
		EP	ROM	2	7C25	6			.\$6	Sea			
					5	uk	to	tal					
+	(CA	re	s.	onl	У	ta:	x 7	.25	58)			
				-	- UE	S	sh	ipp	inc	3	_	3	.00
		T	ota	1.									

Rombo:

our tried and true adapter that allows rom developers and enthusiasts to use stock EPROMs (27C256) in the option ROM socket in the 100/102/200.



(Circle 81 on reader service card)



eme systems

voice: (510) 848-5725 fax: (510) 848-5748 2229 5th St., Berkeley, CA 94710

PROGRAMMING LANGUAGES

translated into machine language in order for the computer to understand them. In doing this, some *BASICs* are interpreted and some are compiled.

In the case on interpreted BASIC, you simply type your programs and immediately run it. The translation step is done line-by-line while the program is running. This translation while running slows things down considerably.

In the case of compiled BASIC, usually you type the program as text, then you use a compiler program to translate (compile) the entire program at one time, and then finally you run the compiled version. Since the translation is not being carried out while the program is running, compiled BASIC programs run much faster than interpreted ones. The only drawback is that you do the extra compiling step.

But BASIC is not the only good language for beginning programmers.

The language tries to force you to write well-structured programs.

Another language that is popular for teaching programming is Pascal. That's Pascal, not PASCAL. Pascal is not an acronym. The language was named after Blaise Pascal, the French physicist and mathematician who managed to make an adding machine in the 1600's.

Let's look at a short Pascal program to see what this language is like. As before, this one counts from 1 to 10.

PROGRAM COUNT; VAR X:INTEGER; BEGIN X:=1; REPEAT WRITELN(X); X:=X+1; UNTIL X>10; END.

As with the *BASIC* sample program, even a novice programmer can read the Pascal program lines and immediately get some idea about what is going on. You can easily see where the count is started at 1 (fourth line), where the cur-

rent count is printed on screen (sixth line), where the current count is increased by 1 (seventh line), and where the decision is made whether 10 has been reached yet (eighth line).

You may also notice some other things that have no counterparts in the BASIC program. Virtually all Pascal program lines end with a semicolon. Pascal programs have names (first line). Variables must be declared as to name (X) and type (integer, real, or whatever) early in the program (second line). And the end of the program is clearly marked as such. All of this extra stuff is required in Pascal programming because the language attempts to force you to write well-structured programs. It is difficult to be a sloppy Pascal programmer.

Pascal usually is a compiled language. After you type the program as text, you use a compiler program to turn it into something that you can run on your computer. Consequently, Pascal programs run rather fast.

And as with *BASIC*, the various dialects of Pascal are pretty similar. In fact, the core of these different dialects is essentially identical. It is the enhancements to the core-standard Pascal that vary.

In addition to BASIC and Pascal, there is another language that you may want to consider. It is called C.
Interestingly enough, it evolved from a language called B.

Let's look at a short C program to get a feel for this language. As you might expect by now, this programs counts from 1 to 10.

While this sample program may look a little more obscure than the previous samples, you probably still can see in it the essence of "counting to 10." Also, you can notice some of the characteristics of C. It is structured much like Pascal. There is a preference for lower-case letters. It is a compiled language, and therefore it is fast. And it has the special ability to do some low-level operations within the computer, much like assembly language.

C is a powerful language, and it is popular among professional programmers. However, it is somewhat more difficult than *BASIC* and Pascal, and I suspect that a beginning programmer

LANGUAGES

may be overwhelmed by it. It may be better to learn BASIC or Pascal first, and then move on to C.

There is still another programming language that is worth mentioning here, although you may not want to make it your primary working language. It is called Logo, and it was developed for teaching programming to children. Many adults enjoy it too.

For comparison purposes, here is a short Logo program that (you guessed it) counts from 1 to 10.

TO COUNT MAKE "X 1 DOIT END

TO DOIT PRINT :X MAKE "X :X+1 IF :X>10 [STOP]

Anyone familiar with LISP, and artificial intelligence programming lan-

Would you believe there is a language called SNOBOL?

guage, might well have a deja vu experience when looking at a Logo program. Logo was patterned after LISP and shares many of its characteristics.

Logo teaches the fundamental principles of programming in a fun way. It is the kind of thing that you can play with and learn something in the process. A prominent feature of this language is an on-screen programmable turtle that can be used to create fascinating graphics. Also, this language can be used to get a feel for artificial intelligence program-

And there you have it, a quick survey of the various computer languages. It is by no means a complete survey, which would be very long, indeed. (Would you believe there is a language called SNO-BOL?) However it should serve to point a beginning programmer in approximately the right direction. All you need to become proficient at one of these languages is your computer, a good book, and some free time to practice (play?). It will be time well spent.

Your own Program on a Rom

8K or 32K

Your BASIC or machine code program on a custom ROM ready to snap into your Model 100 or Tandy 200.

You can't tell your program from a built-in. Starting at \$50.00 each. Minimum order of 10. Quantity pricing as low

\$15.00

Distributed by

Another fine product from the innovative people at PCSG

Tri-Mike Network East

Post Office Box 372 Peterborough, NH 03458 1-603-588-2010

VISA MASTERCARD C.O.D

Tandy 100, 102, 200.s.

Better Letterheads, Part Three

Dress Up Your Document with Lines And Boxes

by Mike Nugent

art Three, finally! We're about to start getting "down and dirty," as I mentioned before all those "circumstances" presented themselves.

Before getting math-intensive, let's just ease back into things by learning how to tap some of the graphics capabilities of our printers.

USING LINE GRAPHICS

Every printer has a "character set," the complete repertoire of characters it can produce. Besides the expected numbers, letters, and punctuation, most printers can produce special characters and symbols such as foreign language characters, currency symbols, line and block graphic characters, and miscellaneous others. We can use those special characters to advantage in creating letterheads, logos, and other special effects in our documents. We might, for example, use them to draw boxes around part of a letterhead or a special section of text.

You'll usually find your printer's character set listed in a table in the printer manual. Many printers offer more than one character set and some means of switching between them.

Figure 1 shows IBM Character Set 1, a common character set and one of several

So we must do a little mental translation.

available on the Diconix 150+ portable printer. You'll see that printers use number values, called ASCII codes, to represent various characters. For example, when the printer receives a value of 65 it prints the letter "A." When it receives a value of 49 it prints the number "1."

Computers, too, represent characters by ASCII codes. Figure 2 shows the Model 100's character set and the keystrokes used to produce those characters. Here, too, an ASCII value of 65 represents "A," and a value of 49 represents "1"

ASCII codes between 32 and 127 are quite standard, producing the same characters on most computers and printers. But codes above 127 are a different story. The characters they produce often vary among different computers and different printers, especially where Tandy printers and computers are concerned.

TRANSLATION

Figures 1 and 2 illustrate this difference. Whereas ASCII value 147, produced on the Model 100 by pressing GRPH-q, displays a little stick-man character on the screen, that same 147 sent to an IBM-compatible printer produces a foreign language ô character on the printout.

0	1	2	2	4	,		1			10	11	12	12.	14	19	15	18	18	19	20	21	72	22	74	27
UL.								BS	HT	LF	VT	FF	CR	SO	SI					DC4	1			CAN	
16	27	28	29	30	31	37	53	54	35	36	37	26	29	40	41	47	45	44	45	46	47	48	49	10	31
	ESC						1	**	11	\$	%	8	1	()		+		-		1	0	1	2	3
1	53	34	55	146	-57	54	59	60	81	67	63	84	65	64	67	88	59	10	71	12	73	74	75	76	11
4	5	6	7	8	9	1		<	=	>	?	0	A	В	C	D	E	F	G	H	I	J	K	L	M
18	19	60	11	82	83	84	05	86	87	60	80	90	91	92	93	94	95.	98	01	DS	00	100	101	103	103
N	0	P	Q	R	S	T	U	v	W	X	Y	Z	[1	1	2	_		a	b	C	d	е	f	6
04	105	106	197	158	100	110	111	112	113	114	115	116	117	118	110	120	121	122	122	124	125	126	127	1	
h	1	1	k	1	m	n	0	p	q	r	g	t	u	v	w	x	У	z	1	10	}	-	DEL		
-28	129	150	131	132	153	134	135	138	137	138	129	140	141	142	143	144	145	148	147	148	599	150	151	152	15
		1000						BS	HT	LF	VT	FF	CR	SO	SI		DC1	DC2	DC3	DC4				CAN	
154	135	156	15.7	156	159	160	161	182	163	164	165	106	167	108	109	170	171	172	173	174	175	176	177	178	17
	ESC					á	1	6	ú	n	N	a	0	8	-		1/2	1/4	1	1	>	3	4	1	
180	181	182	187	184	185	186	187	188	189	190	181	192	193	194	196	198	197	198	199	200	201	202	203	204	×
1	14	1	T	1	4	1	7	1	Ti	1	1	L	T	T	1	-	+	1	1	5	F	7	17	1	
208	507	208	200	210	211	312	213	716	215	216	217	216	210	220	221	222	2773	224	225	226	221	228	229	230	1.2
4	1	1	T	T	L	F	r	f	1 #	+	1	T	-	8		1	-	α	B	Г	π	Σ	σ	μ	1
237	133	234	235	236	237	235	239	240	241	242	243	246	245	246	247	248	249	250	251	352	253	254	255	7	
di	A		T	00	a	1	-	Ξ	1	2	15	10	1	14	the	0			1./	n	2		SF		

Figure 1. IBMCharacter Set 1 is most common, and one of several character sets available on the Diconix 150+ portable printer.

Decimal	Hex	Binary	Printed Character	Keyboard Characte
176	B0	10110000	¥	(GRPH) 7
177	B1	10110001	Ä	(CODE) A
178	B2	10110010	Ö	(CODE) O
179	В3	10110011	Ü	(CODE) U
180	B4	10110100	¢	GRPH) 6
181	B5	10110101	~	CODE
182	B6	10110110	ä	(CODE) a
183	B7	10110111	Ö	CODE o
184	B8	10111000	ü	(CODE) u
185	B9	10111001	В	CODES
186	BA	10111010	T M	CODE) T
187	BB	10111011	é	CODE d
188	BC	10111100	ù	CODE ,
189	BD	10111101	è	(CODE) v
190	BE	10111110		CODE =
191	BF	10111111	f	(CODE) F
192	CO	11000000	â	CODE
193	CI	11000001	ê	CODE 3
194	C2	11000010	i	(CODE) 8
195	СЗ	11000011	ô	(CODE) 9
196	C4	11000100	û	(CODE) 7
197	C5	11000101		CODE) -
198	C6	11000110	ė	(CODE) e
199	C7	11000111	ï	(CODE) i
200	C8	11001000	á	(CODE) q
201	C9	11001001	100.0	(CODE) k
202	CA	11001010	6	CODE
203	СВ	11001011	ù	(CODE)
204	CC	11001100	ý	(CODE) y
205	CD	11001101	ñ	CODE n
206	CE	11001110	â	CODE) z
207	CF	11001111	Õ	CODE).
208	D0	11010000	À	CODE !
209	D1	11010001	Ė	CODE #
210	D2	11010010	i	CODE .
211	D3	11010011	Ô	(CODE) (
212	D4	11010100	Û	CODE &
213	D5	11010101	ï	CODE
214	D6	11010110	Ë	(CODE) E
215	D7	11010111	Ė	CODE D
216	D8	11011000	Á	(CODE) Q
217	D9	11011001	î	(CODE) K
218	DA	11011010	Ó	(CODE) L
219	DB	11011011	Ú	(CODE) J
220	/DC	11011100	Ý	(CODE) Y
221	DD	11011101	U	(CODE) <
222	DE	11011110	Ė	(CODE) V
223	DF	11011111	A	(CODE) X

Figure 2. Model 100 character set. Using appropriate characters from the Model 100 set, you can produce line and block graphics on your IBM-compatible printer.

Since our goal is to enhance our printed documents, our output will of course be the characters in the printer's character set. But because we're creating the documents on our Model T's, we must use Model T characters to produce them. So we must do a little mental translation; that is, type into our document whichever Model T character has the same ASCII value as the printer character we wish to

The IBM printer character set's line drawing and block graphic characters (ASCII 176-223) are ideal for dressing up documents. To use them, we must type in Model T characters with corresponding ASCII valueswhich happen to produce foreign language characters on our screens. While they may look rather funny on our screens, they print out just fine as the desired line and block graphics on our printers.

Bill Gerber aptly described how to translate Model T characters to printer characters in his article, "IBM Character Graphics on The Model T" (Portable 100, Apr. '91). You might want to read (or reread) it now, to help enhance your understanding of the subject. The article included a handy little chart showing the Model T characters needed to produce line drawing characters on the printer. It's just the right size for taping to the inside of your Model T's battery or option ROM compartment covers, making it readily available whenever needed. I've taken the liberty of including it here as Figure 3, as well as fixing a small error in the original. The "GC" at the top is a reminder that these are GRPH- and CODE-key combinations. Only the 6, marked on the chart by a




Figure 3. This handy chart lets you translate Model 100 characters to IBM printer line graphic characters.

dot, uses the *GRPH* key (i.e., press *GRPH-6* to produce the character). All the rest are *CODE*-key combinations (e.g., *CODE-L*, *CODE-q*, etc.). Note that case is important: *CODE-K* and *CODE-k* produce different characters.



Figure 4. Here's the original Wide Load, Inc. letterhead, to which we'll add some boxes around the text.

LET'S DO IT

Using these line graphics, we can printsingle lines, double lines, and boxes to highlight parts of our letterheads, logos, or text. For practice, let's put boxes around parts of the Wide Load, Inc. letterhead from a previous column ("Better Letterheads, Part One," Feb. '92, p. 33, Figure 2). This is shown here as Figure 4.

First, we'll box in the company name with double lines, as shown in Figure 5. Figure 6 shows how I modified the original file to achieve this. I inserted a line of

Portable 100 BACK ISSUES

With over 60 issues, and hundreds of articles, *Portable 100* is THE source for information, programs, and applications for your Tandy Portable Computer. But how do you find what you need among all those issues? The answer is the **updated** *Portable 100 Article Index*. Covering every issue from September 1983 to the combined summer 1989 issue, the index is designed to make it simple for you to find what you need. And at a cost of only \$9.00 (postage and handling included), you should buy one today! If you have last year's index, don't despair. Update your index by adding our special 1988-1989 Update Index. It's a bargain at just \$4 (P&H included).

And what do you do when you find an article you want? Easy. First check the back issue chart below for back issue availability. If the issue is available, just order it using the handy order form (\$5.00 each, postage and handling included). If it isn't, don't despair. Photocopies of any article in a sold-out issue cost just \$2.50 each. Simply list the article, or articles, by title, author, and issue, enclose payment, and in just a short time you'll have the articles in hand.

Month	83	84	85	86	87	88	89	90	91
January			Not Published						Not
February						1			Published
March			OUT		Not				
April		ОИТ			Published	ОИТ	OUT		
May		OUT				OUT			
June		OUT	2						
July		OUT		OUT		combined July/Aug.	combined July/Aug.	Not	combined July/Aug.
August		OUT				issue	& Sept.	Published	Issue
September	Premier Issue	1				O[U]	(Summer 1989)		
October		ОИТ		Not					
November				Published					
December				1		OUT			

Index for \$9.00 (Pc ☐ Send me the Sept. Update Article In ☐ Please send me the	Summer 1989 Portab ostage & Handling in 1988-Summer 1989 I dex for \$4.00 (P&H i e back issues I've ind ng &handling charge	ncluded). Portable 100 ncluded). licated
PAYMENT MUS	ST ACCOMPAN'	YORDER
CHECK OR M.O. VISA	MC A	AMEX
CARD# (Be sure to in	nclude entire card number)	EXP. DATE
Name		
STREET ADDRESS _		
CITY		
STATE	ix to eight weeks for	ZIP

Portable 100, Back Issue Department, P.O. Box 428, Peterborough, NH 03458

WIDE LOAD INC.

20 Point Lane Boldface, IA 12345 (999)999-9999

Sat Jly 11, 1992

Figure 5. Here's the letterhead of Figure 4 with double-line box string of CODE-n's added. Figure 6 shows how to produce this result. (double horizontal

.ol 54 .or 384 ë^[W14]
ê^[W14]
.oc on! innennnnnnnnnne!
#WIDE LOAD INC.#∢
^[W04 .ol 104
.or 75∢ 20 Point Lane∢
Boldface, IA 12345 € (999)999-99998 €
%w %d4
.oc off4

Figure 6. "Funky" characters added around company name produce a double-line box in the printout, shown in Figure 5.

line graphics characters just above the company name. On the Model T screen, it looks like a funky letter "i" followed by a string of funky "n's" and a funky "e." From the chart (Figure 3), you can see it was produced by pressing CODE-k (top left double corner), a string of CODE-n's (double horizontal

lines), and a CODE-d (top right double corner. Similarly, the funky "a," "n's," and "u" underneath the company name

form the bottom left double corner, double lines, and bottom right double corner.

A CODE-T (appearing as a trademark symbol on the screen) on either side of the company name completes the box, and produces the printout in Figure 5.

And that's all there is to it. Since the line graphics are included between the printer's double-wide commands (^[W1] and ^[W0]), they're printed double-wide, right along with the company name ("Wide Load Inc.").

Note that the reproduction isn't too crisp on the Diconix 150+ portable

WIDE LOAD INC.

20 Point Lane Boldface, IA 12345 (999)999-9999

Sat Jly 11,1992

Figure 7. Here's the letterhead again, with a single-line box added around the phone/address text. Figure 8 shows how to produce this effect.

printer I used to create the figures. The quality, of course, will vary with the printer used. Some will be better, and some may be worse. You'll just have to try it on your particular printer.

Continuing our practice, let's add a single-line box around the company address and phone number, as in Figure 7. Figure 8 shows how it's done. The funky "o," "u's," and "f" above the first address line, and the funky "a," "u's," and "i" below the phone number, form the top and bottom of the box. The sides are formed by the funky "u's" flanking each line of address/phone number text.

SUPER HERO

Again, refer to

the translation

chart to see

how it's done.

there's a new

twist or two

here! In the

(Figure 4) the

lines of ad-

dress/phone

number text

begin at the left of the screen

and are auto-

matically cen-

tered by the .oc

on command

(fourth line)

when printed.

To center the

and still main-

whole box-

but

file

Ah,

original

Figure 8. "Funky" characters added around the address/ phone text produce a single-line box in the printout. See article text for additional information on this technique.

article text for additional information on this technique. tain text centering within it—we must manually center the text within the box beforehand, as in Figure 8.

Remember: Write ROM counts characters! It will try to center X number of characters on a line between the margins. So we need to make the number of characters per line equal so the

sides of the box will line up properly.

Okay, then why is the phone number line one character longer than the others? Because Write ROM does not count the the funky "e" after the phone number. That character, produced by pressing CODE-e, was assigned by me in my Write ROM's PRINT Code settings (see Write ROM manual, PRINTER FEATURES) to control my printer's emphasized (bold) feature. Although Write ROM counts characters, it does not count its own PRINT Code characters. Therefore, in counting the number of characters in the phone number line, the CODE-e is ignored. So I added another space in the line to make the centering command think it's the same length as the others.

Well, there you go. Granted, all those boxes around our Wide Load, Inc. letterhead look kind of dumb, but it shows you how to get started on your own ideas for your own letterheads and

documents.

STAY TUNED

I'm going to wrap this up now, so I don't miss the deadline again. Heaven knows, Part Three has been a long time in coming, and I don't want to blow it again. In Part Four we'll continue with some of the other graphics characters, the block graphics, such as I used to make my TMNE letterhead ("Dressing Up Your Documents," Nov. '91, p. 23, Figure 1). In the meantime, if you'd like to experiment on your own, try out ASCII character values 176-178 and 219-223.

Now I'm outta here. (Gotta go deal with a fresh batch of "circumstances." Sheesh!)

Nuge

Mike Nugent can be reached at Tri-Mike Network East, P.O. Box 372, Peterborough, NH 03458, tel. (603)588-2010; on CompuServe (71426,1201); on MCI Mail (TMNEAST); and on packet radio (WB8GLQ @ KA1SRD.MA). If requesting a reply by postal mail, please enclose an SASE.

The sky's the limit... ...with Portable 100 magazine.

On the road . . . at home . . . in the office . . . in the air . . . the variety of tasks you can perform with your Tandy Portable is expanding constantly.

To keep fully informed and up-to-date about current trends, new products, and new uses for your laptop, you need *Portable 100* magazine.

From sophisticated input/output (I/O) calls and their applications to simple disk drives, *Portable 100*

magazine covers it all.

Portable 100 gives you



thorough and timely features, news, columns, and reviews. And they are written in a fast-paced, easy-to-read style, by leading computer experts.

And **Portable 100** gives you all this for just \$19.95, a savings of over 54% off the regular newsstand price! You can save even more money by subscribing for two years for only \$34.95, a savings of almost 60%!

Don't miss a single issue!
Fill out and mail the coupon below,
or to charge it to your credit card, call

1-603-924-9455

Portable 100—the magazine for Tandy Notebook, Laptop and Portable Computer users!

MONEY BACK GUARANTEE!

If you are not completely satisfied with *Portable 100*, you may cancel your subscription and receive a refund on the unmailed issues. Please allow 6-8 weeks for delivery of your first issue.

newsstand p for a combin	orice. Send me ned July/Augu	to be more produce portable and save a year's subscription st issue) of <i>Portable</i> two years for just \$	100 for only
□ MC □ Check	☐ Visa ☐ M.O.	☐ Amex ☐ Bill me	Make checks payable to Portable 100
Card Number			Exp. Date
Name			
Address			
City I have a Tand	y 🗆 100/102 🗇 20	State Zip 00/600 _ WP-2 _ MS	-DOS portable
☐ MS-DOS de Mexico & Canad one year, \$74.95	sktop Macinto la: \$24.95 one year, two years; Airmal	sh Other	er foreign surface: \$49.95

It's a Bird, It's a Plane, It's ... UnMouse!

Okay, you're a laptop user. You don't like carrying a mouse around and you loathe the trackball, because it makes you feel too large and gawky. What do you do?

Well, start looking for a laptop equipped with the Unmouse Touch Tablet from MicroTouch Systems. MicroTouch has recently made available the OEM (original equipment manufacturer) version of its UnMouse, touch-sensitive tablet.

The OEM UnMouse, which is customized to fit each manufacturer's specifications, ia a small tablet, typically 2 inches by 3 inches, that is sensitive to the touch of a finger. To move the cursor, the user merely touches the glass surface of the sensor. Finger movements are converted into cursor movements in a method similar to other devices where faster movements result in large cursor movements.

While some manufacturers are addressing the need for built-on pointing devices in portable computers by building miniature trackballs into their units, the OEM UnMouse has numerous advantages over these scaled-down trackballs, including greater ease-of-use, easeof-integration and durability.


The UnMouse requires only one or two strokes for most cursor movements compared to multiple

rotations required from the same motion with a small trackball. In addition, a second hand is often required to activate the trackball "click" button - with the UnMouse, the user merely taps on the glass. Finally trackballs are often loosely set in their casing, making them difficult to control.

Using the UnMouse requires only very light finger pressure, unlike earlier resistive membrane touch tablet technology made of plastic. These tablets were pressure sensitive and often required a sharp stylus to activate the sensor. Because the UnMouse relies on capacitive sensing, only the slightest contact between the finger and sensor are required to initiate cursor movement.

The OEM UnMouse electronics consist primarily of a CMOS chipset which is easily integrated into the notebook's motherboard. By comparison, built-in trackballs are bulky. Even micro-trackballs require a space of 14mm thick, making them difficult to design into today's notebook computers.

The OEM UnMouse is designed for minimal power consumption and utilizes a BIOS-controllable "sleep mode" when not in use. Under 1 mA of power is used when the UnMouse is in sleep mode.



The OEM UnMouse manufactured by MicroTouch Systems.

Durability is a major advantage the OEM UnMouse has over mechanical input devices. The product has no moving parts, with nothing to wear out or break. It is also easy to clean, compared to trackballs and mice, which must be disassembled to be cleaned.

The OEM UnMouse is available to manufacturers immediately. Pricing, which includes sensor, CMOS chipset, and software, begins at \$40 in quantities of 100. Significant discounts are available in OEM quantities.

Please contact: Janet Pannier, MicroTouch Systems, Inc. 55 Jonspin Road, Wilmington, MA 01887. (508)694-9900, fax (508)694-9980. for more information. Or circle 69 on reader service card.

Where's The Cursor?

If you've ever had trouble locating the cursor on your computer screen, then you can understand why AApex Software developed the Cursorific! series. Their latest product, Cursorific! Professional 2.0 allows users to create their own cursors, animate them, or even replace a standard cursor with a scanned-in corporate logo. Cursorific! Professional 2.0 comes with 300 selectable cursors and 20 different animations included. The Cursor Image Editor allows you to design your own cursor images, while the Animation Editor brings them to life. Cursorific! Professional 2.0 is designed for laptop users who have trouble locating the cursor, computer programmers looking for a cursor resource, hi-res display us-

Electronic References Now Available on Disk

Got questions? Need answers and need 'em NOW? Try the Instant Answers series from Reference Software international. These products run as both terminate and stay resident (TSR) and stand-alone products and work with either DOS or Windows.

ers, or anyone who wants "functional fun".

Cursorific! 2.0 requires Microsoft Windows 3.0 or higher, a mouse, EGA, VGA or higher resolution display, 57K RAM of Windows memory, and 500-600K of disk space. Suggested retail price for Cursorific! 2.0 is \$69.95.

For more information, contact AApex Software Corporation, P.O. Box 13379, Reno, NV 89507. (800)728-7650, fax (702)324-4578. Or circle 61 on reader service card.

The series includes:

The Electronic Business Writer's Handbook - includes a glossary of computer terms, common words, famous quotations, as well as general rules on grammar, punctuation and business correspondence. The desktop publishing chapter provides graphics illustrating such terms as kerning, leading and fonts and explanations of desktop publishing

The Electronic Financial Mathematics Handbook - discusses such topics as simple and compound interest, investment information, annuities calculations and bond formulae. Each sections presents a financial formula in algebraic and Lotus 1-2-3 spreadsheet notation with a definition of the concept and examples of its use.

The Electronic Associated Press Stylebook - offers writing guidelines on style, usage, punctuation, abbreviations and so on.

The Electronic Complete Secretary's Handbook provides sample business letters that can be exported into word processing files for personalized editing.

DOS version requires DOS 3.0 or greater and 58K RAM; Windows version requires Windows 3.0 or

The series is available from Reference Software International. major computer retailing and warehousing outfits, as well as the following distributors: Ingram Micro, Kenfil, Merisel, Soft-Kat, Software Resource, JB Marketing. Retail price is \$59 per book or \$179 for the four-volume set. Or circle 63 on reader service card.

Changes your Model 100 into a totally different computer with capability you never thought possible.

on Snap-In[™] ROM

Another fine product from the innovative people at PCSG!

Infoworld rated Lucid's performance "excellent"

NOW AVAILABLE ON M-200

TMNE says "Satisfaction Guaranteed or your money back within 30 days!"

LUCID® is here now. It is on a ROM cartridge that snaps into the compartment on the back of your Model 100. It takes no memory to load and no memory for operating overhead. That means you have the full 29.6k bytes free to store your data.

First, LUCID® is memory conserving. It will let you build a large spreadsheet – 255 row by 126 column capacity. You build huge spreadsheets in your Model 100's RAM that could consume 80 to 100K on a desktop computer.

Secondly, LUCID® is fast. LUCID® is so rapid, a 36 column corporate financial statement took less than 4 seconds to calculate.

Thirdly, LUCID® has features you won't find in most other spreadsheets. For example, when you type a label (text) it will cross column boundaries; in other words when you type a label or title it will appear as you type it irrespective of column or width. LUCID® also allows you to set column widths individually, and of course LUCID® has insert row and insert columns, as well as other standard features. LUCID® even lets your formulas refer to cells in other spreadsheet files.

Further, LUCID® has what no other spreadsheet has: Cut, Copy, and Paste. It uses the same keys as Cut and Paste in TEXT, but here's the difference: it takes all the formulas with it when you paste and they all automatically recalculate with the entire sheet.

And here is what is really amazing. You can copy or cut from one spreadsheet and paste into another spreadsheet or even a TEXT file.

LUCID®supports all BASIC math functions as well as Log, sine, cosine, tangent, exponentiation and other sophisticated math functions.

LUCID® has so many features that you will say "this is what I need in a spread-sheet", such as automatic prompting of an incorrectly typed-in formula showing just where the mistake was made.

LUCID® has expanded "go to" functions that remember and produce a windowing capability.

But perhaps most remarkable is that LUCID® is not only a spreadsheet but a program generator as well. First, LUCID® lets you protect all cells against entry or change, and then unprotect just the cells you want for someone else to use as input fields.

LUCID® will not only process values, but text input as well so that the facts other than numbers can be responded to. LUCID® has the ability for you to refer in a formula to cells containing words. This feature combines with the capacity of doing "if then" statements that work by doing table lookups against even massive X/Y charts of text or numerical information. You can produce a program that responds to inputs with no programming knowledge whatsoever.

You can prepare a report section in your spreadsheet with instructions to your user for printout, and they can produce a personalized printout that responds to their input. All your formulas and tables that did the calculations and provided the facts are invisible to that user. LUCID® is useful for doctors for patient questionnaires, troubleshooting technicians, purchase clerks, people doing job quotes, stores for customer workups, insurance agents and anybody who needs to process specific facts and numbers to produce a report based on those responses.

LUCID® comes with a manual that explains not only the characteristics of LUCID®, but will train you how to use a spreadsheet even if you have never seen one before. You are shown how to do budgets, forecasts, breakeven analysis amortizations and many other types of personal and business reports and calculations.

User friendly is such an over-used term in this industry, but a typical comment has been "I have never seen a spreadsheet that does so much, and yet LUCID® is so much

easier and faster to use."

LUCID® is a result of a most exhaustive developmental effort in which PCSG's objective was to develop a spreadsheet that was better than the state-of-the-art. We are so pleased because LUCID® provides for the Model 100 spreadsheet capability you cannot equal on a desktop computer.

LUCID® is, in our opinion and that of those who have examined it, a breakthrough. We sell it on a 30 day trial. If you are not completely satisfied, return it within 30 days for a full refund. Priced at \$99.95 on snap-in ROM. Please add \$5.00 for shipping and handling. Mastercard, Visa, American Express or C.O.D. ©PCSG 1984,1991

Distributed by:

Tri-Mike Network East

1 (603) 588-2010

P.O. Box 372, Peterborough, NH 03458

Circle 74 on reader service card.



MERONS

on Snap-in Cartridge \$99.95

(please add \$5.00 shipping and handling charge to your order)

TMNE says "Send it back in 30 days for a full refund if you don't agree."

WRITE ROM is the definitive word processing extension for the Model 100. PCSG produced the first text formatter for the Model 100, now sold by Radio Shack as Scripsit 100. Now, 18 months later, PSCG introduced WRITE ROM. Those who have experienced it say WRITE ROM literally doubles the power of the Model 100.

WRITE ROM — as its name implies — is on a snap-in ROM. You simply open the little compartment on the back of the Model 100 with a quarter and press WRITE ROM in. It's as easy as an Atari game cartridge. You can use other ROM programs like Lucid whenever you wish.

WRITE ROM lets you do every formatting function you'd expect, like setting margins, centering, right justifying and creating headers and footers. But it does them under function key control.

WRITE ROM remembers your favorite format settings so you can print a document without any setup, but you can change any formatting or printing parameter instantly with a function key.

WRITE ROM's "pixel mapping" feature shows you an instant picture on the screen of how your printout will look on paper.

In all there are 64 separate features and functions you can do with WRITE ROM, and some of these features are truly breakthroughs for the Model 100.

First, WRITE ROM lets you do search and replace. Any word or phrase in a document can be searched for and replaced with any other phrase where the search words appear.

Second, WRITE ROM lets you send any text (formatted or not) to any other computer over the phone with just a function key. What's more, it dials and handles sign-on and sign-off protocol automatically.

Third, WRITE ROM has a wonderful feature called Library that lets you record favorite phrases, words or commonly used expressions (often called boilerplate).

Any place you wish Library text to appear you just type a code. WRITE ROM automatically inserts the text just like a Xerox Memory Writer. Picture what you can do with that kind of capability.

WRITE ROM is blindingly fast. No one can claim faster operation. Because it is on ROM it uses virtually none of your precious RAM. It works with any printer, serial or parallel. You can make a duplicate copy of a document file under a new filename. Rename or delete (kill) any RAM file with function key ease.

This description only scratches the surface of this amazingly powerful piece of software. Dot commands allow control of such things as margins, centering, line spacing and other changes in the middle of a document. Most are WordStarTM compatible.

A mailmerge feature allows you to send the same document to every name on your mailing list, personalized for each recipient.

WRITE ROM enables you to do underlining, boldface and correspondence mode as well as any other font feature like superscripts that your printer supports, in a way that many users say "is worth the price of the program."

To underline you don't have to remember a complicated printer code. You just type CODE u, and to stop underline, CODE u again. The CODE key is to the right of your spacebar. Boldface? CODE b to start and stop. Easy to remember and do. Five different printer features of your choice.

We couldn't list all the features here. For example, you can select not just double space but triple or any other. You can use your TAB

key in a document. WRITE ROM allows you to undent. This means you can have paragraphs with a first line projecting to the left of the rest of the paragraph. WRITE ROM has a feature unique for any word processor on any computer. It's called FORM. FORM is an interactive mechanism that lets you create screen prompts so that you or someone else can answer them to fill out forms or questionnaires.

With FORM, any place that you had previously typed a GRAPH T and a prompt in a document, WRITE ROM will stop and show you that prompt on the screen. You can type in directly on the screen and when you press F8 you see the next prompt. It goes to a printer or a RAM file.

Think how you can use FORM. A doctor or nurse could use it for a patient's history with each question appearing on the screen. An insurance salesman could use it for his entire questionnaire. You could construct a series of prompts to answer correspondence, typing the answers, even using Library codes. This feature lets you answer letters in rapid-fire fashion, each with personalized or standard responses.

Before WRITE ROM you had to be a programmer to create a series of prompts. Now it's as simple as GRAPH T.

PSCG makes the claim that WRITE ROM is the easiest, fastest and most feature-rich formatter for the Model 100. We're happy to offer WRITE ROM because it expands the 100 to a dimension of text processing you cannot equal on even larger computers.

We brashly state that WRITE ROM is the best you can buy. But put that to the test. If you aren't as excited as we are, return it for a full refund. Priced at \$99.95 on snap-in ROM. Mastercard, Visa, American Express and COD. Please add \$5.00 shipping and handling charge.

Distributed by:

Tri-Mike Network East

P.O. Box 372, Peterborough, NH 03458

1 (603) 588-2010

More Memory On The Road With Traveler

Add up to 130MB of disk space to your notebook, laptop, palmtop or desktop computer with the Traveler-HD from MPM. Available in six memory configurations and weighing a featherlight 1.5 pounds, the Traveler-HD works with Microsoft Windows, MS-DOS (3.0 or higher), DOS-based utilities, RAM disks, applications software and practically all shareware. It can't be any easier to install - just plug it into the printer port of your computer.

The Traveler-HD features a 2.5" IDE hard disk, intelligent IDE controller,pass-through parallel port and integrated caching software. Rechargeable Ni-Cad batteries offer an average of 5 hours of use. Technical specifications are:

Average seek time: 15-25ms Transfer Speed: >4mb per Minute Battery time, Continuous: 2-1/2 hours

Battery time, Standby: 10 hrs. Battery time, Average: 5 hours Battery Recharge Time: 12 hours RAM required by driver: 3 K

Hard Disk Type: 2.5 inch Hard Disk Interface: IDE Dimensions: 1.5"h x 5"w x 5"d Weight (with disk drive) 1.5 lbs. Compatibility list (partial):

Commodore, Compaq, Epson, Hewlitt Packard, IBM, Leading Edge, Mitac, MEC, Packard Bell, Panasonic, Samsung, Sanyo, Sharp, Tandy, TI, Toshiba, Zenith, Zeos

If this isn't powerful enough for you, try the Traveler-AC, a fourpound, AC-powered version that provides up to 500MB of portable disk space.

Price is dependent upon memory configuration: Traveler-HD: \$340 - \$1,099; Traveler-AC: \$699 -\$2,299. For more information, contact Julie Becker, Marketing Manager, Memory Products & More (MPM), 15285 Alton Parkway, Suite 200, Irvine, CA 92718, (714)753-(714)753-1216(fax), (800)222-8861. Or circle 66 on reader service card.




NYNEX NortheastAccess lets you get by without all these phone books!

NYNEX Offers On-line Service

Finding business phone numbers in other parts of the country can be difficult unless you know exactly what you're looking for. But there's no need to despair, NYNEX has

made your life a little easier with their introduction of NYNEX NortheastAccess, its on-line directory of Yellow Pages listings.

NortheastAccess provides fast



The new MiniSCSI Plus from Trantor Systems.

A New MiniSCSI For Your Portable

New and improved? You bet. Trantor Systems has reworked its popular T348 MiniSCSI, adding new features and abilities. The new T348 MiniSCSI Plus features an integral three-foot cable, built-in SCSI termination and a more functional physical design, since the portion of the product containing the active circuitry has been moved adjacent to the SCSI device. This new design makes the connection to the computer port much smaller than the original MiniSCSI and eliminates the need for a separate SCSI table.

While the original MiniSCSI was designed with unidirectional capability only, the new MiniSCSI Plus is fully compatible with both unidirectional and bidirectional parallel ports. This offers the capability to

move full 8-bit data blocks in both directions between the host computer and the device(s) connected to the parallel port, at similar speeds in either direction. Additionally, the MiniSCSI Plus is supplied with a standard ASPI (Advanced SCSI Programmer's Interface) Manager software interface and ASPI-version device drivers

The MiniSCSI Plus is retail priced at \$229.00. The original version of the MiniSCSI will continue to be sold at a reduced price of \$159.00

For more information, please contact Jim Switz, Trantor Systems, Ltd., 5415 Randall Place. Fremont, CA 94538. (510) 770-1400, fax (510) 770-9910. Or circle 65 on reader service card.

and easy access to business telephone listings in six Northeastern states: Maine, Massachusetts, New Hampshire, New York, Rhode Island and Vermont. The database includes over 1.7 million listings and 7,000 headings from over 300 NYNEX Yellow Pages and Business-to Business directories. NortheastAccess allows you to search by heading or business name, by locality, area code or ZIP code. Other NortheastAccess features include news, stock quotes. financial summaries, worldwide travel information and city profiles. These additional services are provided by Videotex Development Corporation, a DELPHI affiliate.

NortheastAccess is currently available on US West Community Link Service, a gateway provided by CLM Associates and is available to US West customers in Omaha and Minneapolis/St. Paul with plans to expand service to Seattle in 1992.

The NYNEX NortheastAccess database is also offered domestically through Minitel Services Company and overseas as NYNEX USAccess, via MinitelNet.

For more information, contact Natalie Tschubarjan, NYNEX Information Technologies Company, 100 Church Street, 9th floor, New York, NY 10007-2670. (212) 513-9779. Or circle 67 on reader service card.

ADPI: One for All Tape Backup System

Loss of data can easily cost a company thousands of dollars. Time spent in re-entering data or restoring floppies can be reduced to an hour or less with **One for All**. The system plugs directly into the parallel printer ports of your computer, without the use of the controller cards or special adapters.

The One for All tape backup, Model PT1, can safeguard critical data on PC hard drives. One system can be used with every PC in the office at a fast backup speed of over 6 Megabytes per minute. ADPI's easy-to-use software guides the user through the backup and restore modes in a "Windows-like" format. Each digital cassette holds 160 Megabytes of information.

One for All can be used for multiple PC, laptop, or notebook backups, confidential data control, archiving, MS-DOS to UNIX trans-



ADPI's One for All tape backup system for desktop or laptop computers.

fers, among other applications. ADPI offers a 30-day money back guarantee and a 1-year warranty. Suggested retail price is \$1,495.

For more information, contact: Analog & Digital Peripherals, Inc., P.O. Box 499, Troy, OH 45373. (513) 339-2241, fax (513) 339-0070. Or circle 68 on reader service card.

Konexx Konnectors Eliminate Need For Dedicated Telephone Line


As office hardware portability continues to increase in both volume and convenience, so does the need for refined methods of accessing and transmitting data. As many PC notebook and laptop computer purchasers are disheartened to learn, electronic transmission requires an analog, or single-line telephone. Transmission is not possible from public-pay phones, multi-line or PBX systems and most hotel telephones without the aid of a connection device.

Unlimited Systems Corporation has introduced its latest connection product - Model 112, which allows users to connect a modem to any office or hotel telephone, eliminating the need for a dedicated phone line.

This KONEXX Konnector is powered by an internal 9 volt battery or with a supplied AC adapter. Like its predecessor, the Model 108, the Model 112 has automatic voice/data switching and works will all modems (except the inexpensive line powered models).

Suggested retail price for the Model 112 is \$149. All couplers and adapters are warranted for two years. Technical support is also available.

For more information, contact Unlimited Systems, 5555 Magnatron Blvd., San Diego, CA 92111. (800) 275-6354. Or circle 62 on reader service card.



The SCANTEAM 2000 bar code decoder from Welch Allyn.

SCANTEAM 2000 Makes Your Laptop a Bar Code Reader

Add bar code and magnetic stripe capability to your PC with the SCANTEAM 2000 from Welch Allyn. The SCANTEAM 2000 transmits decoded bar code, magnetic stripe and MICR data to a variety of terminals, PCs or POS devices. The ST2000 requires no hardware or software modifications, since decoded data is transmitted by emulating keyboard-terminal communications.

The ST2000 also offers a bidirectional auxiliary port for communicating with RS-232 devices, such as printers and scales. It can be interfaced with a variety of PCs and terminals, including IBM, DEC, HP, WYSE, NCR, Nixdorf and Fujitsu. Units in the ST2000 series are fully programmable, via an easy-to-use bar code menu. The advanced data formatting feature provides a powerful editing facility for optimal per-

formance and compatibility with existing applications. Measuring a compact 3.9"x4.0"x1.0", the ST2000 weighs only 6.4oz. Suggested retail price for one unit is \$390

Contact: Don Flynn, Manufacturing Market Manager, Welch Allyn, Inc., 4619 Jordan Road, Skaneteles Falls, NY 13153. (315) 685-2811. Or circle 70 on reader service card.

OMRON Portable Fax-Modem Offers 12 Hours of Battery Operation

The latest entry on the portable fax-modem market is the pocketsized IMPALA 24/96 from OMRON Automation Products, Inc. The IMPALA 24/96 provides 9600 bps fax and 2400 bps modem transmissions in a compact (4.4" x 3.4" x 0.9") package. Without batteries the unit weighs 4.2 ounces. The IM-PALA 24/96 can operate for up to 12 hours on a set of four AA alkaline batteries and features a power saver function that automatically puts the modem into standby mode when it is offline and the PC-to-fax modem interface is idle.

The new fax-modem is a Class 2 device and has built-in data compression based on CCITT V4.2bis and MNP-5 standards. Error correction conforms to CCITT V4.2 and MNP-2 through MNP-4. The modem supports the Hayes extended AT command set.

Seven LED indicator lights signal off hook, carrier detect, send/ receive data, low battery power, high speed equipment ready and error correction conditions. The faxmodem has a speaker and dual telephone plugs. It comes with an AC adapter, telephone cable, and a connector cable with one RS-232C and one 9-pin DIN plug. Three software programs are included Win-Fax Lite for Windows 3 as well as the DOS version, and BitCom for DOS communications software. All are provided on both 3.5" and 5.25" diskettes.

Suggested retail price for the OMRON IMPALA 24/96 is \$399. For more information, please contact OMRON Automation Products, Inc., 3945 Freedom Circle, #400, Santa Clara, CA 95054. (408)727-1444, fax (408)970-1149. Or circle 64 on reader service card.



The Portable 100 Classifieds

SOFTWARE

FAST (tm) 3x turbo cassette LOAD/SAVE utility for Tandy M100/102, M200 (specify). See 11/89 P100 review. SASE for information. Cassette, manual \$19.95 ppd. Zwillenberg, 475 Richmond, Maplewood, NJ 07040

HARDWARE

Model 100 32K with Super Rom \$275.00 firm. Call (308)527-3506.

Model 200 48, Super ROM, includes all documentation, technical manual, cables; \$285.00; Chipmunk Drive; \$115.00. Both for \$360. (215)678-6972. 9/92

Tandy 102 32K, Portable Disk Drive & portable Brother printer \$350.00; Tandy 1100FD 640K and modem \$450.00. (213)828-1997.

TRS-80 Model 100 32K, Super ROM, case, legs, adapter, seven software packages,

books. Needs new LCD screen. \$199.00. Peirce, 2948 Blairstone Ct., Tallahassee FL 32301.

EMM, integrated ExtRAM/RAM/PDD-1&2 file manager. Runs in ExtRAM, utilizing unoccupied space for file storage. Features aggregate file selection and file compression. Send SASE for information or \$15.00 for disk. TPSIG, P.O. Box 684473, Austin TX 78768-4473.

Record voltage or other analog parameters with your 100/102/200. DATAMITE A/D converter connects to cassette jack, software provides voltage readout and/or emulates scrolling chart recorder on your Tandy screen. \$66 + \$4 S&H: Jones Service & Design, 1842 S. Nugent Rd., Lummi Is., WA 98262. (206)758-7258.

Data Acquisition with M100/102. REI, RR1 Box 113F, Royalton, VT 05068. (802)763-8367. 10/91

Tandy 100, 32K,PDD, DMP-130 printer, software, cables, maunals. \$375. (312-644-0638 6/92

FOR SALE

TRS-80 Model 100, includes VDI w/TWO 5.25" drives, HARD carrying case, MOST accessories, plus Amber monitor, VGC; package only. Excellent condition. Best offer (708) 837-8741.

Tandy 200 with disk video interface, Tandy software, modem cable, cassette cable, cassette player, and computer adapter. \$250. Linda (717) 566-5411. 6/92

Olivetti PR2300 Printer, works well with Model 100, \$40. plus shipping. Robinson (413) 545-1591 9/92

Model 100 32K, Super ROM, 2 A/C adapters, printer cable, and modem adapter. Cassette, A/C adapter and two cables. Manuals, books, taped programs, program listings. \$400.00 Chris Lothian (612) 425-1340 after 18:00 CDT.

102 32K, PDD2, Super ROM installed; Scripsit and Interactive Solutions (not installed); null modem; plastic hard cover; CCR-82; Kyotronic 85; cables; adapters; all manuals, many, many books; Silver Reed 500, Epson RX-80 & LQ500 printers; ribbons; Brother EP20 portable thermal typewriter; ribbons; thermal paper; Kaypro 2 (CP/M) computer. Send for price list. Box G, NY, NY 10159-1056; 212 689-0772; FAX 212 481-0552

Two Model 100's with ROMS. One 100K FDD Acoustic Coupler and assorted software. Call or write for description and price.. Like new. PO Box 3104 Mankato, MN 56001 (507) 726-2704

WANTED

WANTED, NEC PC-8300's like new or good condition only. (216) 531-2185, ext. 12. 6/93

HOW TO PLACE A CLASSIFIED AD

Categorize your advertisement (Hardware, Software, Services, Wanted, Etc.) and carefully type your message. We are not responsible for correctly interpreting handwritten advertisements. Phone numbers, street numbers, dimensions, and any abbreviations count as one word. Logos, company or product, are not allowed, neither are display advertisements. Business rates are 90¢ per word; non-business rates (individuals advertising) are 60¢ per word. Add up the cost and send the advertisement copy with a check, money order, Visa, or Mastercard number to: Portable 100 Classifieds, 145 Grove St. Ext., P.O. Box 428, Peterborough, NH 03458-0428, c/o Linda Tiernan. Make checks payable to Portable 100 Classifieds. Include your complete return address and phone number (phone number is printed only if it is included in the advertisement itself). Materials due the 1st of the month, two months prior to the magazine cover date (example: materials for the February issue must be received by December 1st.) Advertisements received after the deadline will appear in the next scheduled issue. Payment must accompany order. No refunds for advertisements that miss deadlines, regardless of reason. We reserve the right to change advertisement categories, and to reject, edit, or cancel any advertisement we deem improper. There are no agency discounts for classifieds. For faster service call 603-924-9455.

Ad Category	No.of words x (90¢)(60¢)	#Issues to run
Name	A CONTRACTOR OF THE PARTY	

Name _______Address ______ State ___ Zip ______

Total Enclosed x (Ad Cost x Issues) — Phone Number _____

Visa/Mastercard Number Exp. Date

Signature _____

New LOW Rates!

Businesses—90¢ per word Non-business—60¢ per word Find those items you need, sell the ones you don't, start a business inexpensively!

44

PORTABLE 100 Back Issues for only \$99.95!

Now you can buy <u>all</u> 44 available back issues covering **September 1983** to **Summer 1989** for the bargain basement price of only \$99.95!

Call 603-924-9455 and ask for the Portable 100 Back Issue Special. Or write to Portable 100, POB 428, Peterborough, NH 03458-0428, and enclose your payment (Check, M.O., Master-Card, Visa, or AMEX numbers). U.S. shipping and handling included, Foreign shipping is \$20 more, surface only. Order now! Supplies are limited!

ADVERTISER'S INDEX

Free Information

For free information on products advertised in this issue of Portable 100, locate the Reader Service number corresponding to the advertisement that interests you. Circle the number on the Reader Service Card at page 23 (or on the protective mailing wrapper if you are a subscriber) and drop it into the mail. The literature you've requested will be forwarded to you without any obligation. Please allow 3-5 weeks for delivery.

ADVERTISERS		ADVERTISERS			
RS#	Page	RS#	Page		
09 ADPI	3	55 Purple Computing	10		
34 Anvil Cases	31	128 Software Versand	12		
165 Club 100: A Model 100		20 System Peripheral Consultant	s 10		
User Group	1	71 Tri-Mike Network East-WR	40		
178 Club 100: A Model 100		73 Tri-Mike Network East-D+	16		
User Group	CIII	75 Tri-Mike Network East-CR	33		
154 Computer Reset	8	74 Tri-Mike Network East-Lucid	39		
88 EME Systems	CII	72 Tri-Mike Network East-SR	5		
85 EME Systems	27	134 Ultrasoft Innovations	23		
81 EME Systems	32	153 Venture 2000	CIV		
83 EME Systems	32	New Products			
35 Geokon	7	61 AApex Software Corp.	38		
116 King Computer Services	14	68 Analog & Digital Peripherals			
149 MicroMime	25	66 Memory Products & More	41		
37 MicroMime	10	69 MicroTouch Systems	38		
175 Micro-Ref	25	67 NYNEX Info. Tech. Co.	41		
45 Pacific Computer Exchange	7	64 OMRON Automation Prod. 63 Reference Software Int.	42 38		
172 Pacific Computer Exchange	7	65 Trantor Systems	41		
121 Paul Globman	8	62 Unlimited Systems	42		
117 Portable 100—Gender Chang	ger 10	70 Welch Allyn	42		

FINGERS TIRED?

Accomplish more... in less time. Get the P100-To-Go program disk.

Make your life easier! Save hours of time from typing in lengthy programs. Never worry again about typing errors. Have more fun with *Portable 100*'s new disk-of-the-month service. Every program from the magazine is included on each month's disk. No typing. No trouble.

We make it easy and inexpensive. You deserve value. At Portable 100 we believe in value. That's why we're not only making each month's programs available on 100K Tandy Portable Disk Drive disks (which work in 200K drives), we're also



making sure any extra room on each disk is packed with interesting and fun bonus programs. All files are in .DO format. Ready to load. Ready to go.

Not just for the Tandy 100. The *P100-To-Go* disks will work with any computer that uses the Tandy Portable Disk Drive, the Brother FB100, and the Purple Computing Portable Disk Drive. This means your NEC-8201/8300, Tandy 100/102, Tandy 200, Olivetti M10, and Kyotronic KC-85 can all load these programs into memory (once loaded, changes for specific computer models may be required, refer to corresponding program article for information about compatibility with particular computers).

Subscribe and save! You can order P100-To-Go disks individually at only \$9.95, but for maximum savings sign up for our Six-pack Special, one disk each month

able on fook failey Foliable Disk Diffe cloks (which work in 2001 circle); we re			
Yes! Save me hours of typing time. Sign me up for your Sixpack Special (6 monthly disks of the Portable 100 programs, plus the special bonus programs included with every disk) for only \$47.70. P100-To-Go 1988 disk set (JunDec. 1988) \$47.70. P100-To-Go 1989 disk set A (JanJun. 1989) \$47.70. P100-To-Go 1989 disk set B (Summer '89Feb. 1990) \$47.70.	Prices include postage and handling. Please allow 4-6 weeks for delivery Foreign airmail add \$2 per disk. All foreign, US Funds drawn on US banks only. Payment enclosed (check or money order) MasterCard VISA — Amex		
Individual P100-To-Go disks at \$9.95 Jun '88 Jan '89 Sum '89 Mar '90 Apr '91 Jul/Aug '88 Feb '89 Oct '89 Apr '90 May '91	CARD NUMBER EXP. DATE SIGNATURE		
☐ Sep '88 ☐ Mar '89 ☐ Nov '89 ☐ May '90 ☐ Jun '91 ☐ Oct '88 ☐ Apr '89 ☐ Dec '89 ☐ Nov. '90 ☐ Jul/Aug '91 ☐ Nov '88 ☐ May '89 ☐ Jan '90 ☐ Dec. '90 ☐ Sep '91	NAME STREET ADDRESS		
Dec '88 Jun '89 Feb '90 Mar. '91 Oct '91 To place your order immediately, call:	CITY STATE ZIP Mail to: Portable 100, P100-To-Go, P.O. Box 428, Peterborough, NH 03458-0428		



Rick announces more nifty new stuff and some totally excellent killer deals...

RAMPAC is now manufactured by EME Systems and Club 100. 256K storage for Model 102 or 200. Light weight and small. Plugs into system bus. Access via built in software. Note: rampac combined with extRAM or XR4 allows for super fast ROM swaps. \$179 + \$5 s&h

New: Model 100 to RAMPAC cable allows Model 100 users to attach and use RAMPAC -\$20 + \$2 s&h

Alert!! Rick finds giant stash of computer-stuff in West coast warehouse: Model 102's 32K \$255 / Model 100's 32K \$195 / NEC 8201 16K \$85 / WP2's \$165 / Model 105 printers \$55 (\$10 s&h on equipment)

Booster Pak is back!!! Start at 96K and expand to 1 meg. Add ROM's for easy ROM swapping. Built in TS-DOS. Includes direct access BASIC commands for large database applications. Attaches to bottom of Model 100 or 102. \$299 + \$6 s&h

Tons Of Programs: What's in the Club 100 online public domain library? Order a "Online Library Catalog Listing Update" disk and find out. \$5 (state tpdd, tpdd2, MSDOS 5.25 or 3.5 format). New, BBS Guide/Tutorial... \$10

We've got EVERYTHING!!!

ROM's, RAM (we'll match or beat almost any RAM price - CALL), cables, information, free online classified advertising (buy, sell and wanted laptop stuff), e-mail, used stuff, books, how-to's, technical references, and just about everything you're looking for.

Facts: Nostalgic computing is alive and well as folks rediscover the value and fun of inexpensive, capable Model T computers. Each week we field over 1000 voice, e-mail and faxes from new and old laptop owners. There's over two million Model 100, 102, 200, WP2 and NEC 8201 owners in the world. The Model T's attributes (i.e., built in programs, long battery life, light weight, data compatibility) offer most of what folks want in a laptop computer, today.

More facts: Most folks use their laptop for word processing. About 20% use telcom. Very few others use spreadsheets, database, or public domain programs, but interest in expanding Model T computing is growing. Club 100 has the information and items to help you get more out of your laptop. Call Club 100 and discover what you're missing. Get on our mailing list and receive a free catalog.

HELP: Due to overwhelming interest vs. limited staffing and time, we find it almost impossible to respond to paper mail in a timely fashion; except for catalog requests. Voice, electronic, and fax mail is your best bet for feedback and assistance.

Club 100: A Model 100 User Group Model 100/102/200/WP2 & NEC8201 Support.


Pleasant Hill, CA 94523 510-932-8856 voice 510-937-5039 fax 510-939-1246 bbs

P. O. Box 23438

Thanks... -Rick-



It Doesn't Take An Expert To Know What's Needed For Every Notebook And Laptop Computer



We can tell you in Four Words!!!

PARALLEL PORT EXPANSION CHASSIS

4 DISTINCTIVE MODELS available in 2-slot, 3-slot, 5-slot and 8 slot, That Connect Directly To The Parallel Port. All models have their own power supply which Eliminates Any Major Battery Drainage from your notebook or laptop.

You can operate with standard 8 bit or 16 bit (AT/XT) and you can use either Full-Size or Half-Size Cards. Parallel port expansion chassis Operates With MS-DOS and IBM Compatibles Specifically.

This product line is unique in that It Is Not Proprietary Related. You aren't required to use a single manufacturer's computer product. The expansion chassis Will Operate With Most Notebooks and Laptops, unlike other products which are designed for a specific manufacturer.

MULTI-APPLICATION VERSATILITY IS THE KEY for the Parallel Port Expansion Chassis. Unlike other products which are single function only, You Can Add Internal High Computing Power And Storage Power with hard drives (20 MB - 600MB), Floppy (1.2MB-1, 1.4MB-360K), and tape drives (up to 250MB) depending on the model you select.

OTHER BENEFITS: Simple setup and operation, rugged design, plus all models are in a self contained case.



CALL US TODAY! (804) 741-7692 FAX # (804) 741-8349

VENTURE 2000 LTD 10404 PATTERSON AVENUE RICHMOND, VA, 23233

Circle 153 on reader service card